

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0201296 - RIO NILO CLUB INC		Site Address 7466 MONTEREY ST, GILROY, CA 95020		Inspection Date 06/26/2026		Placard Color & Score GREEN 88		
Program PR0303201 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09			Owner Name RIO NILO CLUB INC		Inspection Time 21:15 - 22:15			
Inspected By GUILLERMO VAZQUEZ		Inspection Type ROUTINE INSPECTION		Consent By ALICIA G.				FSC Exempt

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification						X	
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible			X				S
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods						X	
K10	Proper cooking time & temperatures						X	
K11	Proper reheating procedures for hot holding						X	
K12	Returned and reservice of food					X		
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available			X				
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		X
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		X
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0201296 - RIO NILO CLUB INC		Site Address 7466 MONTEREY ST, GILROY, CA 95020	Inspection Date 06/26/2026
Program PR0303201 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09		Owner Name RIO NILO CLUB INC	Inspection Time 21:15 - 22:15
K48	Plan review		X
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: Hand wash station within the bar area is blocked at the time of inspection.

[CA] Hand washing facility shall be clean, unobstructed, and accessible at all times.

[COS] Items were removed from hand wash station.

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Hot water within the womens restroom is not functioning in the closest sink to door.

[CA] Hand washing facilities shall be equipped to provide minimum 100°F water under pressure for a minimum of 15 seconds. Make repairs to hand wash sink.

[SA] Restroom has an additional hand sink that has warm water.

Follow-up By 07/01/2026

K33 - 2 Points - Nonfood contact surfaces not clean; 114115(c)

Inspector Observations: Reach in fan guards have dust build up on them at the time of inspection.

[CA] Nonfood-contact surfaces of equipment shall be kept free of an accumulation of dust, dirt, food residue, and other debris.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: Hole noted within the mens restroom; inside of bathroom stall.

[CA] Repair holes in structure and maintain in good repair to prevent pest harborage.

K48 - 2 Points - Plan review unapproved; 114380

Inspector Observations: Facility has un-approved equipment in the back of the facility at the time of inspection.

- Prep table

- steam table/grill

[CA] A person proposing to build or remodel a food facility shall submit plans and specifications for review and shall receive plan approval prior to starting any new construction or remodeling. Contact DEH at 408-918-3400 or at www.ehinfo.org to obtain plan check requirements. Remove equipment from the facility.

Failure to comply may result in enforcement action.

Follow-up By 07/01/2026

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Whip cream	Reach in	38.00 Fahrenheit	
Ambient	Refrigeration chests (3x)	39.00 Fahrenheit	Beer/drinks
Hot water	3-Compartment sink	120.00 Fahrenheit	
Warm water	Hand wash	100.00 Fahrenheit	
Warm water	Restroom	100.00 Fahrenheit	One sink within the womens restroom did not reach 100°F. SA

Overall Comments:

OFFICIAL INSPECTION REPORT

Facility FA0201296 - RIO NILO CLUB INC	Site Address 7466 MONTEREY ST, GILROY, CA 95020	Inspection Date 06/26/2026
Program PR0303201 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	Owner Name RIO NILO CLUB INC	Inspection Time 21:15 - 22:15

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than 7/10/2026. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Alicia G.
PIC
Signed On: June 26, 2026