

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0214203 - LIQUOR & FOOD MART		Site Address 734 S FAIR OAKS AV, SUNNYVALE, CA 94086		Inspection Date 09/16/2026		Placard Color & Score GREEN 91		
Program PR0301587 - NO FOOD PREP <5,000 SQ FT - FP06			Owner Name MRVS CORPORATION		Inspection Time 15:45 - 16:30			
Inspected By SUHREET KAUR		Inspection Type ROUTINE INSPECTION		Consent By AGUL				FSC Exempt

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification						X	
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use					X		
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods						X	
K10	Proper cooking time & temperatures						X	
K11	Proper reheating procedures for hot holding						X	
K12	Returned and reservice of food						X	
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available			X				
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		X
K36	Equipment, utensils, linens: Proper storage and use		X
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		X
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0214203 - LIQUOR & FOOD MART	Site Address 734 S FAIR OAKS AV, SUNNYVALE, CA 94086	Inspection Date 09/16/2026
Program PR0301587 - NO FOOD PREP <5,000 SQ FT - FP06	Owner Name MRVS CORPORATION	Inspection Time 15:45 - 16:30
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Hot water at 2-compartment sink measured at 82F.

Note: Facility does no do any food prep.

[CA] Hot water shall be supplied at a minimum temperature of at least 120°F

Warm water at handwash sink inside restroom measured at 78F

[CA] All handwashing facilities shall provide warm water at least 100°F-108°F.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: Unapproved Wisco 561A oven unit observed in facility.

Note: Unit was powered off. PIC stated that oven was not in use.

[CA] Remove unapproved equipment from facility. Facility is not approved to conduct any food prep.

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5

Inspector Observations: CO2 tank next to ATM machine at corner of facility was not secured.

[CA] Pressurized cylinders shall be properly secured to a rigid structure.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: Several beverages stored underneath shelves and boxed of foods on floor in storage area.

[CA] Floors shall be kept clear and store food items at least 6 inches above floor.

Performance-Based Inspection Questions

N/A

Measured Observations

Item	Location	Measurement	Comments
hot water	restroom handwsah sink	78.00 Fahrenheit	
half gallon whole mik	walk-in storage refrigerator	36.00 Fahrenheit	
ambient	display standing refrigerator	41.00 Fahrenheit	

Overall Comments:

Joint inspection. Report written by Belin Zepeda

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **9/30/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0214203 - LIQUOR & FOOD MART	Site Address 734 S FAIR OAKS AV, SUNNYVALE, CA 94086	Inspection Date 09/16/2026
Program PR0301587 - NO FOOD PREP <5,000 SQ FT - FP06	Owner Name MRVS CORPORATION	Inspection Time 15:45 - 16:30

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Juan Jimenez
PIC
Signed On: September 16, 2026