

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0205634 - SMOKING PIG BBQ COMPANY LLC		Site Address 1144 N 4TH ST, SAN JOSE, CA 95112		Inspection Date 11/18/2024		Placard Color & Score GREEN 91		
Program PR0304990 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 3 - FP17			Owner Name REDDICK, PAUL H		Inspection Time 12:00 - 13:15			
Inspected By MINDY NGUYEN		Inspection Type ROUTINE INSPECTION		Consent By KAI				FSC ANTHONY MORALES 10/24/2026

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use					X		
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records					X		
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food					X		
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized			X				
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use	X	
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		X
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		X
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0205634 - SMOKING PIG BBQ COMPANY LLC	Site Address 1144 N 4TH ST, SAN JOSE, CA 95112	Inspection Date 11/18/2024
Program PR0304990 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 3 - FP17	Owner Name REDDICK, PAUL H	Inspection Time 12:00 - 13:15
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K14 - 3 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations: Measured quaternary ammonia in the 3-compartment sink at less than 100ppm.

[CA] Sanitize dishes in 150 - 400ppm quaternary ammonia or 100ppm chlorine or per manufacturer directions.

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

Inspector Observations: Observed two ceiling lights in the main kitchen were flickering/not working properly.

[CA] Repair/replace lights.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations: 1) Observed the pipe under the prep sink was leaking onto the floor.

2) Observed the faucets at the 3-compartment sink were leaking.

[CA] Repair leaks.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: Observed missing floor tiles under the prep sink where water was leaking.

[CA] Replace missing floor tiles.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
COOKED PORK	STEAM TABLE	155.00 Fahrenheit	
WARM WATER	HANDWASH SINK	100.00 Fahrenheit	
MILK, VEGETABLES	LEFT WALK-IN REFRIGERATOR	38.00 Fahrenheit	
QUATERNARY AMMONIA	3-COMPARTMENT SINK	100.00 PPM	BETWEEN 0 - 100PPM
HOT WATER	3-COMPARTMENT SINK	120.00 Fahrenheit	
QUATERNARY AMMONICA	SANITIZING BUCKET	200.00 PPM	
BEANS	GRIDDLE, HOT HOLDING	140.00 Fahrenheit	
HOT WATER	PREP SINK	120.00 Fahrenheit	
COOKED GREENS	STEAM TABLE	140.00 Fahrenheit	
RAW MEATS	RIGHT WALK-IN REFRIGERATOR	38.00 Fahrenheit	
PICO DE GALLO	PREP INSERT	40.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **12/2/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0205634 - SMOKING PIG BBQ COMPANY LLC	Site Address 1144 N 4TH ST, SAN JOSE, CA 95112	Inspection Date 11/18/2024
Program PR0304990 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 3 - FP17	Owner Name REDDICK, PAUL H	Inspection Time 12:00 - 13:15

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Kai Hernandez
Manager
Signed On: November 18, 2024