

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0214420 - RADHE CHAAT		Site Address 934 E EL CAMINO REAL, SUNNYVALE, CA 94086		Inspection Date 11/26/2024		Placard Color & Score GREEN 75		
Program PR0304265 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			Owner Name ROTISABJI INC		Inspection Time 13:45 - 15:30			
Inspected By SUKHREET KAUR		Inspection Type ROUTINE INSPECTION		Consent By PARUL PATEL				FSC HUGO AGUILA 4/1/2027

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible			X				
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records					X		
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available		X		X			N
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified	X	
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented	X	
K33	Nonfood contact surfaces clean	X	
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity	X	
K36	Equipment, utensils, linens: Proper storage and use	X	
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing	X	
K45	Floor, walls, ceilings: built, maintained, clean	X	
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0214420 - RADHE CHAAT	Site Address 934 E EL CAMINO REAL, SUNNYVALE, CA 94086	Inspection Date 11/26/2024
Program PR0304265 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name ROTISABJI INC	Inspection Time 13:45 - 15:30
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Hot water measured at 85F at the beginning of the inspection.

[CA] Hot water shall be supplied at a minimum temperature of at least 120°F measured from the faucet throughout facility except at handwash sinks.

[COS] At the end of inspection water measured at remained at 105F for then 1 minute.

Minor Violations

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: Lack of soap dispenser at hand wash sink, soap bottle available.

[CA] Provide soap in dispenser at all times.

K30 - 2 Points - Food storage containers are not identified; 114047, 114049, 114051, 114053, 114055, 114067(h), 114069 (b)

Inspector Observations: Food boxes stored directly on floor.

[CA] Food shall be stored at least 6 inches above the floor to prevent contamination.

K32 - 2 Points - Food improperly labeled & not honestly presented: 114087, 114089, 114089.1(a, b), 114090, 114093.1

Inspector Observations: Lack of labels on snacks sold at the front of the facility.

[CA] Food prepackaged in a food facility shall bear a label with the following: 1) common name of the food, 2) list of ingredients in descending order of predominance by weight, 3) quantity of contents, 4) name and place of business of the manufacturer, packer, or distributor.

K33 - 2 Points - Nonfood contact surfaces not clean; 114115(c)

Inspector Observations: Accumulation of food debris on door handles of equipment, food contact surfaces, dust accumulation on walk in cooler fan covers.

[CA] Clean equipment door handles, food contact surfaces and fan covers and maintain in good condition.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: Spoiled cardboards are used as floor liner near warewash sink.

[CA] Discontinue the use of cardboard boxes to line shelves/flooring, use approved equipment made of materials that is easily cleanable, durable, smooth, and nonabsorbent.

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5

Inspector Observations: Observed bowls used to scoop rice in rice warmer unit.

[CA] Use scoop with a handle and store scoop handle in such a way that the handle does not come in direct contact with food to prevent contamination.

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations: Back door to the facility propped open.

[CA] Keep back door closed at all times to prevent the entrance and harborage of vermin.

Observed unused equipment near walk in cooler and other unused items.

[CA] The premises of a food facility shall be free of litter and items that are unnecessary to the operation or maintenance of the facility, such as equipment that is nonfunctional or no longer used.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

OFFICIAL INSPECTION REPORT

Facility FA0214420 - RADHE CHAAT	Site Address 934 E EL CAMINO REAL, SUNNYVALE, CA 94086	Inspection Date 11/26/2024
Program PR0304265 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name ROTISABJI INC	Inspection Time 13:45 - 15:30

Inspector Observations: Accumulation of grease and food debris on floors throughout the facility. Accumulation of black mold like residue on back wall of three compartment sink.
[CA] Clean the floors/ walls and maintain in good condition.

Performance-Based Inspection Questions

Needs Improvement - Hot and cold water available.

Measured Observations

Item	Location	Measurement	Comments
Paneer	Under counter refrigerator	40.00 Fahrenheit	
Water	Hand wash sink	100.00 Fahrenheit	
Curry	Hot holding	135.00 Fahrenheit	
Hot water	Three compartment sink	85.00 Fahrenheit	final at 105F
Rice	Hot holding	140.00 Fahrenheit	
Cooked curry	Walk in cooler	41.00 Fahrenheit	
Boiled potatoes	Prep unit	40.00 Fahrenheit	
Mango lassi	Two door refrigerator	40.00 Fahrenheit	
Curry	Prep unit	41.00 Fahrenheit	
Chickpea vegetable	Prep unit	41.00 Fahrenheit	
Chlorine	Dish machine	50.00 PPM	
Milk	Walk in cooler	40.00 Fahrenheit	

Overall Comments:

Follow up inspection will be conducted on 12/3/24 for violation K21. Ensure hot water measures at 120F or more.
Failure to comply may result in further enforcement actions.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **12/10/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control

Received By: PARUL PATEL
PIC
Signed On: November 26, 2024