

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0250205 - HOUSE OF BAGELS		Site Address 793 1ST ST, GILROY, CA 95020		Inspection Date 05/19/2025		Placard Color & Score GREEN 94		
Program PR0360493 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13			Owner Name LMN BAGELS GILROY INC.		Inspection Time 11:45 - 12:45			
Inspected By GUILLERMO VAZQUEZ		Inspection Type ROUTINE INSPECTION		Consent By LONG NGAN				FSC Long Ngan 2/23/26

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						S
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean	X	
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		X
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		X
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0250205 - HOUSE OF BAGELS	Site Address 793 1ST ST, GILROY, CA 95020	Inspection Date 05/19/2025
Program PR0360493 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name LMN BAGELS GILROY INC.	Inspection Time 11:45 - 12:45
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K33 - 2 Points - Nonfood contact surfaces not clean; 114115(c)

Inspector Observations: 1. Dust build up noted within the fan guards of the walk in.

[CA] Nonfood-contact surfaces of equipment shall be kept free of an accumulation of dust, dirt, food residue, and other debris.

2. Debris noted behind the soda machine at the time of inspection.

REPEAT VIOLATION. Failure to comply may result in enforcement action.

K39 - 2 Points - Thermometers missing or inaccurate; 114157, 114159

Inspector Observations: Unable to provide a food probe thermometer at the time of inspection.

[CA] An accurate easily readable metal probe thermometer (accurate to +/- 2°F) that is designed to measure the temperature of thin masses shall be provided and readily available to accurately measure the temperatures of potentially hazardous foods.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: Damaged floor tiles noted within the walk in refrigeration.

[CA] Replace broken floor tiles with a smooth and of durable construction and nonabsorbent material that is easily cleanable.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Hot water	3-Compartment/prep/mop sinks	120.00 Fahrenheit	
Sanitizer (Chlorine)	Sanitizer bucket	100.00 PPM	
Turkey	Prep table #2	39.00 Fahrenheit	
Cream cheese	Prep table	40.00 Fahrenheit	
Milk	Reach in	39.00 Fahrenheit	
Warm water	Hand wash/restroom	100.00 Fahrenheit	
Cheese	Prep table	40.00 Fahrenheit	
Cut tomato	Prep table #2	39.00 Fahrenheit	
Ambient	Walk in freezer	5.00 Fahrenheit	
Cheese	Walk in	38.00 Fahrenheit	
Cream cheese	Grab and go refrigeration	40.00 Fahrenheit	
Shelled eggs	Walk in	38.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **6/2/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0250205 - HOUSE OF BAGELS	Site Address 793 1ST ST, GILROY, CA 95020	Inspection Date 05/19/2025
Program PR0360493 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name LMN BAGELS GILROY INC.	Inspection Time 11:45 - 12:45

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Long Ngan
Owner

Signed On: May 19, 2025