

**County of Santa Clara**  
**Department of Environmental Health**  
**Consumer Protection Division**

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716  
 Phone (408) 918-3400 www.ehinfo.org



**OFFICIAL INSPECTION REPORT**

<b>Facility</b> FA0209223 - JAVA CAFE		<b>Site Address</b> 387 DELMAS AV, SAN JOSE, CA 95126	<b>Inspection Date</b> 02/26/2026
<b>Program</b> PR0307171 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10		<b>Owner Name</b> NADIR SHEIKH	<b>Inspection Time</b> 09:45 - 10:40
<b>Inspected By</b> ANABELLE GARCIA	<b>Inspection Type</b> FOLLOW-UP INSPECTION	<b>Consent By</b> NADIR SHEIKH	

<b>Placard Color &amp; Score</b> <b>GREEN</b> <b>N/A</b>
--

**Comments and Observations**

**Major Violations**

Cited On: 02/25/2026

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

**Compliance of this violation has been verified on: 02/26/2026**

**Minor Violations**

Cited On: 02/25/2026

K09 - 3 Points - Improper cooling methods; 114002, 114002.1

**Compliance of this violation has been verified on: 02/26/2026**

Cited On: 02/25/2026

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

**Compliance of this violation has been verified on: 02/26/2026**

Cited On: 02/25/2026

K48 - 2 Points - Plan review unapproved; 114380

**This violation found not in compliance on 02/26/2026. See details below.**

**Measured Observations**

Item	Location	Measurement	Comments
ambient	2 door under counter cooler	38.00 Fahrenheit	
ambient	3 door prep cooler	40.00 Fahrenheit	
sliced tomatoes	3 door prep cooler - top insert	41.00 Fahrenheit	
water	hand wash sink	100.00 Fahrenheit	
black beans	warmer	171.00 Fahrenheit	
water	3 comp sink	135.00 Fahrenheit	
smoked salmon	3 door prep cooler - top insert	39.00 Fahrenheit	
ambient	Arctic Air 2 door upright cooler	38.00 Fahrenheit	
heavy whipping cream	Arctic Air 2 door upright cooler	40.00 Fahrenheit	IR

**Overall Comments:**

*Follow-up inspection to the routine inspection conducted on 2/25/26.*

**Observations:**

- Refrigeration units have been repaired.
- Potentially hazardous foods measured below 41F or below and above 135F.
- Discussed plan check submittal for SR0870450.

# OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0209223 - JAVA CAFE	<b>Site Address</b> 387 DELMAS AV, SAN JOSE, CA 95126	<b>Inspection Date</b> 02/26/2026
<b>Program</b> PR0307171 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	<b>Owner Name</b> NADIR SHEIKH	<b>Inspection Time</b> 09:45 - 10:40

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **3/12/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

## Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



---

**Received By:** Nadir Sheikh  
owner

**Signed On:** February 26, 2026