

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0276624 - SAN JOSE EARTHQUAKES STADIUM - AREA 10		Site Address 1123 COLEMAN AV, SAN JOSE, CA 95110		Inspection Date 08/17/2025		Placard Color & Score GREEN 92		
Program PR0417930 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09			Owner Name OVG Hospitality		Inspection Time 17:00 - 17:40			
Inspected By KATHY VO		Inspection Type ROUTINE INSPECTION		Consent By LOU ATCHICK				FSC Lorena Murillo 05/07/2028

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures		X					
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods						X	
K10	Proper cooking time & temperatures						X	
K11	Proper reheating procedures for hot holding						X	
K12	Returned and reservice of food						X	
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0276624 - SAN JOSE EARTHQUAKES STADIUM - AREA 10	Site Address 1123 COLEMAN AV, SAN JOSE, CA 95110	Inspection Date 08/17/2025
Program PR0417930 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	Owner Name OVG Hospitality	Inspection Time 17:00 - 17:40
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: Measured multiple foods at improper holding temperatures:

1) Measured boba on preparation counter at 98F. Per PIC, boba was cooked 30 minutes prior to temperature measurement.

2) Measured cut tomato and cheddar cheese on preparation counter from 58 to 60F. Foods are stored in containers with ice bath. Observed container is not actively making contact with ice. Per PIC, foods were stocked 2 hours prior to temperature measurement.

[CA] Potentially Hazardous Foods shall be kept at 41F or below or 135F or above.

[SA] 1) Boba will be served or discarded within 4 hours of cooking. Per PIC, boba is typically served within 2 hours of cooking.

2) PIC added more ice to containers to facilitate rapid cooling for cut tomato and cheddar cheese.

Minor Violations

No minor violations were observed during this inspection.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
sanitizer (quaternary ammonia)	3-compartment sink	200.00 PPM	
water	3-compartment sink	120.00 Fahrenheit	
cut tomato	preparation counter	58.00 Fahrenheit	
cooked beef	steam table	147.00 Fahrenheit	
cheddar cheese	preparation counter	60.00 Fahrenheit	
boba	preparation counter	98.00 Fahrenheit	
baked potato	hot holding box	160.00 Fahrenheit	
water	handwash sink	100.00 Fahrenheit	

Overall Comments:

Discussed TPHC form for boba with PIC. Form to be completed with Lou Atchick over email.

Facility conducts food preparation including cooking boba on-site, assembling baked potatoes, and hot holding cooked meats. Permit to be adjusted upon review.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **8/31/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0276624 - SAN JOSE EARTHQUAKES STADIUM - AREA 10	Site Address 1123 COLEMAN AV, SAN JOSE, CA 95110	Inspection Date 08/17/2025
Program PR0417930 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	Owner Name OVG Hospitality	Inspection Time 17:00 - 17:40

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Lou Atchick
General Manager

Signed On: August 17, 2025