

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0251242 - NOTRE DAME HIGH SCHOOL CAFETERIA		Site Address 596 S 2ND ST, SAN JOSE, CA 95112		Inspection Date 09/25/2026		Placard Color & Score GREEN 87		
Program PR0364755 - SCHOOL FOOD SERVICE RISK CAT 2 - FP22			Owner Name NOTRE DAME HIGH SCHOOL		Inspection Time 10:20 - 12:10			
Inspected By ANABELLE GARCIA		Inspection Type ROUTINE INSPECTION		Consent By APOLINAR PEREZ				FSC Apolinar Perez 08/06/2031

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						S
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures		X		X			N
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods	X						
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized			X				S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered	X						
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		X
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0251242 - NOTRE DAME HIGH SCHOOL CAFETERIA	Site Address 596 S 2ND ST, SAN JOSE, CA 95112	Inspection Date 09/25/2026
Program PR0364755 - SCHOOL FOOD SERVICE RISK CAT 2 - FP22	Owner Name NOTRE DAME HIGH SCHOOL	Inspection Time 10:20 - 12:10
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: Observed tomato sauce measured at 67F in 2 door upright reach in cooler.

[CA] PHFs shall be held at 41°F or below or at 135°F or above.

[SA] Employee placed tomato sauce container on ice bath.

Minor Violations

K14 - 3 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations: In the 3 compartment sink, observed quaternary ammonia in the rinse section(second compartment).

[CA] Manual warewashing shall be accomplished by using a three-compartment sink where the utensils are first precleaned, washed with hot soapy water, rinsed with hot water, sanitized with an approved method, and air dried.

K39 - 2 Points - Thermometers missing or inaccurate; 114157, 114159

Inspector Observations: Grab and go cooler is lacking a hanging thermometer.

[CA] A thermometer +/- 2°F shall be provided and correctly located in each hot and cold holding unit containing potentially hazardous foods. Place thermometer where it is easily visible while checking refrigerator temperature.

Performance-Based Inspection Questions

Needs Improvement - Proper hot and cold holding temperatures.

Measured Observations

Item	Location	Measurement	Comments
Pasta salad	Grab and go cooler	50.00 Fahrenheit	
Clam chowder	Stove top burner	165.00 Fahrenheit	
Hot water	Prep sink	120.00 Fahrenheit	
Hot Water	3 compartment sink	120.00 Fahrenheit	
Sausage links	2 door upright reach in freezer	13.00 Fahrenheit	
Quaternary ammonia	3 compartment sink	200.00 PPM	
Warm water	Hand sink	100.00 Fahrenheit	

Overall Comments:

Joint inspection with Colin Chu. Written report by Colin Chu.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **10/9/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0251242 - NOTRE DAME HIGH SCHOOL CAFETERIA	Site Address 596 S 2ND ST, SAN JOSE, CA 95112	Inspection Date 09/25/2026
Program PR0364755 - SCHOOL FOOD SERVICE RISK CAT 2 - FP22	Owner Name NOTRE DAME HIGH SCHOOL	Inspection Time 10:20 - 12:10

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Apolinar Perez
PIC

Signed On: September 25, 2026