

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0202785 - PARADISE BIRYANI POINTE		Site Address 560 N ABEL ST, MILPITAS, CA 95035		Inspection Date 08/20/2026		Placard Color & Score GREEN 91		
Program PR0301588 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14			Owner Name PARADISE BIRYANI POINTE/		Inspection Time 13:15 - 14:20			
Inspected By NHA HUYNH		Inspection Type ROUTINE INSPECTION		Consent By PRESTLEY/GEORGE/SABRI				FSC Prasanna George 09/26/2029

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						S
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records	X						
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available			X				
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		X
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		X
K45	Floor, walls, ceilings: built, maintained, clean		X
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0202785 - PARADISE BIRYANI POINTE	Site Address 560 N ABEL ST, MILPITAS, CA 95035	Inspection Date 08/20/2026
Program PR0301588 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name PARADISE BIRYANI POINTE/PERSIS RESTAUR.	Inspection Time 13:15 - 14:20
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations:

Hot water at the 3 compartment sink was measured at a maximum temperature of 115 degrees Fahrenheit.

[Corrective Action] Provide hot water at a minimum temperature of 120 degrees Fahrenheit.

K39 - 2 Points - Thermometers missing or inaccurate; 114157, 114159

Inspector Observations:

Thermometer at the walk-in cooler is broken.

[Corrective Action] Provide an accurate thermometer.

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations:

1. Side door next to cookline observed left open.

[Corrective Action] Ensure door is closed to prevent entry of pest. Install screen door or air curtain if normally left open.

2. Observed unused broken equipment in the facility.

[Corrective Action] Remove unused broken equipment from the premise.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations:

Cove base by the walk-in freezer observed broken.

[Corrective Action] Maintain walls in good condition.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
hot water	handwash sink	105.00 Fahrenheit	
hot water	3 compartment sink	115.00 Fahrenheit	
mango lassi	3 door reach-in cooler	39.00 Fahrenheit	bar
yogurt	3 door prep cooler - right	40.00 Fahrenheit	
chicken	3 door prep cooler - left	39.00 Fahrenheit	
chicken, milk, raw shell eggs	walk-in cooler	41.00 Fahrenheit	
chlorine sanitizer	dishwasher machine	50.00 PPM	

Overall Comments:

A routine inspection was conducted in conjunction with a complaint investigation.


When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **9/3/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0202785 - PARADISE BIRYANI POINTE	Site Address 560 N ABEL ST, MILPITAS, CA 95035	Inspection Date 08/20/2026
Program PR0301588 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name PARADISE BIRYANI POINTE/PERSIS RESTAUR.	Inspection Time 13:15 - 14:20

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Sabarinath
person in charge

Signed On: August 20, 2026