

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0212181 - CABRILLO MARKET & LIQUORS		Site Address 3203 CABRILLO AV, SANTA CLARA, CA 95051		Inspection Date 01/15/2026	
Program PR0304772 - NO FOOD PREP <5,000 SQ FT - FP06			Owner Name QASSISIA, RANA		Inspection Time 14:40 - 15:25
Inspected By KATHY VO		Inspection Type ROUTINE INSPECTION		Consent By DOUG	
FSC Exempt					

Placard Color & Score
GREEN
89

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						
K02 Communicable disease; reporting/restriction/exclusion	X						S
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						
K06 Adequate handwash facilities supplied, accessible		X		X			
K07 Proper hot and cold holding temperatures	X						
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods						X	
K10 Proper cooking time & temperatures						X	
K11 Proper reheating procedures for hot holding						X	
K12 Returned and reservice of food						X	
K13 Food in good condition, safe, unadulterated	X						S
K14 Food contact surfaces clean, sanitized	X						
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available			X				
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0212181 - CABRILLO MARKET & LIQUORS	Site Address 3203 CABRILLO AV, SANTA CLARA, CA 95051	Inspection Date 01/15/2026
Program PR0304772 - NO FOOD PREP <5,000 SQ FT - FP06	Owner Name QASSISIA, RANA	Inspection Time 14:40 - 15:25
K48 Plan review		
K49 Permits available		
K58 Placard properly displayed/posted		

Comments and Observations

Major Violations

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: Observed lack of paper towels in the employee restroom. [CA] Handwash stations shall be fully accessible and stocked with soap and single use towels at all times. [COS] PIC restocked the paper towel dispenser during inspection.

Minor Violations

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Measured the maximum water temperature of the janitorial sink at 110F. Measured the maximum water temperature in the handwash sink at 64F. [CA] Hot water shall be supplied at a minimum temperature of at least 120°F measured from the faucet throughout facility (or 100-108°F at handwash sinks).

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
ice cream	chest freezer	0.00 Fahrenheit	
water	janitorial sink	110.00 Fahrenheit	
milk	walk-in cooler	41.00 Fahrenheit	
beverages	display coolers	41.00 Fahrenheit	
water	handwash sink	64.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **1/29/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Doug Schoen
Clerk

Signed On: January 15, 2026