

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0211206 - LA HACIENDA BAR RESTAURANT	Site Address 95 S MARKET ST 170, SAN JOSE, CA 95113	Inspection Date 01/29/2025
Program PR0302125 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	Owner Name GERARDO LOPEZ & ILIANA C	Inspection Time 11:00 - 11:15
Inspected By ALEXANDER ALFARO	Inspection Type FOLLOW-UP INSPECTION	Consent By LEONARDO

Placard Color & Score

GREEN
N/A

Comments and Observations

Major Violations

N/A

Minor Violations

Cited On: 01/29/2025

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations:

1. In the kitchen area, under the exhaust hood, a non ANSI popcorn machine was observed.

2. In the kitchen area, under the oven on a shelf, a non ANSI small fryer was observed.

3. In the back hallway area, on one of the wire shelves, a three burner gas range was observed.

[CA] Ensure to remove all non ANSI equipment from the facility and premises.

4. The walk in cooler is in disrepair, per PIC, it has warranty and they will be getting it serviced. PIC also stated that if warranty can't repair it they will use it as a dry storage room.

[CA] Ensure to maintain all equipment clean and in good repair.

5. In the bar area, at the hand sink, the two compartment sink is detached from the wall.

6. In the bar area, near the hand sink, there is a dishwasher that was not previously installed.

[CA] All utensils and equipment shall be approved, installed properly, and meet applicable standards. Submit plans for the installation of the dishwasher within one week or remove from the premises.

Follow-up By
02/05/2025

Cited On: 01/23/2025

K49 - 2 Points - Permits not available; 114067(b,c), 114381(a), 114387

This violation found not in compliance on 01/29/2025. See details below.

Measured Observations

N/A

Overall Comments:

This is a follow up inspection for the routine inspection conducted on 1/23/25.

Observations:

K06: All hand wash stations are fully stocked.

K13: The ice machine has been cleaned and no adulterated food was observed.

Continue to correct any and all pending violations.

OFFICIAL INSPECTION REPORT

Facility FA0211206 - LA HACIENDA BAR RESTAURANT	Site Address 95 S MARKET ST 170, SAN JOSE, CA 95113	Inspection Date 01/29/2025
Program PR0302125 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	Owner Name GERARDO LOPEZ & ILIANA ORTEGA	Inspection Time 11:00 - 11:15

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than 2/12/2025. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control

Received By: Leonardo Isaza
General Manager

Signed On: January 29, 2025