

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0207145 - DA DE HENG SHENG GUO YAO HANG INC		Site Address 1818 TULLY RD 106, SAN JOSE, CA 95122		Inspection Date 01/21/2026	
Program PR0303989 - NO FOOD PREP <5,000 SQ FT - FP06			Owner Name QINGLI ZHANG		Inspection Time 14:30 - 15:00
Inspected By HENRY LUU	Inspection Type ROUTINE INSPECTION		Consent By QINGLI Z.	FSC Exempt	

Placard Color & Score
GREEN
95

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						
K02 Communicable disease; reporting/restriction/exclusion	X						S
K03 No discharge from eyes, nose, mouth	X						S
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly					X		
K06 Adequate handwash facilities supplied, accessible	X						
K07 Proper hot and cold holding temperatures	X						
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods						X	
K10 Proper cooking time & temperatures						X	
K11 Proper reheating procedures for hot holding						X	
K12 Returned and reservice of food						X	
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized						X	
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed			X				
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use	X	
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0207145 - DA DE HENG SHENG GUO YAO HANG INC	Site Address 1818 TULLY RD 106, SAN JOSE, CA 95122	Inspection Date 01/21/2026
Program PR0303989 - NO FOOD PREP <5,000 SQ FT - FP06	Owner Name QINGLI ZHANG	Inspection Time 14:30 - 15:00
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K22 - 3 Points - Sewage and wastewater improperly disposed; 114197

Inspector Observations: Heavy leak observed at the waste drain of the hand wash sink in the restroom. Waste water is being caught with a mop bucket.

[CA] Liquid waste shall be disposed of through the approved plumbing system and shall discharge into the public sewerage or into an approved private sewage disposal system. Investigate cause and repair in an approved manner.

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

Inspector Observations: Observed propane tank and burner maintained inside the facility. Owner stated that the burner is used to prepare tea for personal consumption. Facility does not have a dedicated ventilation hood.

[CA] Provide approved exhaust hood ventilation over all cooking equipment as required to effectively remove cooking odors, smoke, steam, grease, heat, and vapors.

**** Remove propane tank and burner.**

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Hot water	Two-compartment sink	122.00 Fahrenheit	
Warm water	Restroom hand sink	100.00 Fahrenheit	

Overall Comments:

- Facility does not conduct any type of food preparation.
- Non-PHF dried herbs are portioned for medicinal use.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **2/4/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Qingli Z.
Owner

Signed On: January 21, 2026