

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0258188 - ST-RAY'S		Site Address 750 ESCONDIDO RD, STANFORD, CA 94305		Inspection Date 12/07/2022	
Program PR0377968 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			Owner Name KLEIN, RAYMOND		Inspection Time 12:15 - 14:00
Inspected By DENNIS LY	Inspection Type ROUTINE INSPECTION	Consent By LORENA AGGUILAR	FSC Lorena Aguilar 3/13/23		

Placard Color & Score
RED
86

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						S
K02 Communicable disease; reporting/restriction/exclusion	X						
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						S
K06 Adequate handwash facilities supplied, accessible	X						S
K07 Proper hot and cold holding temperatures	X						
K08 Time as a public health control; procedures & records					X		
K09 Proper cooling methods	X						
K10 Proper cooking time & temperatures	X						
K11 Proper reheating procedures for hot holding	X						
K12 Returned and reservice of food	X						
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed		X		X			
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity	X	
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		X
K41 Plumbing approved, installed, in good repair; proper backflow devices		X
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0258188 - ST-RAY'S	Site Address 750 ESCONDIDO RD, STANFORD, CA 94305	Inspection Date 12/07/2022
Program PR0377968 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name KLEIN, RAYMOND	Inspection Time 12:15 - 14:00
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K22 - 8 Points - Sewage and wastewater improperly disposed; 114197

Inspector Observations: At time of inspection, floor sink behind the front counter is observed filled with water. Per employee the water is from back up due to broken pipes and from use of the three compartment sink. Employee was able to clear the floor drain but water was observed backing up again after 15-30mins. [CA] Food facility shall not operate if there is sewage overflowing or backing up in the food facility. The food facility, or impacted areas, shall remain closed until all plumbing problems have been corrected and all contaminated surfaces have been cleaned and sanitized.

Follow-up By
12/08/2022

Facility shall cease operations and food prep until issue is corrected.

Minor Violations

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: Rubber gasket on the top drawer cooler of the food prep unit is in disrepair. [CA] Replace gasket and maintain in good repair.

K40 - 2 Points - Wiping cloths: improperly used and stored; 114135, 114185.1 114185.3(d,e)

Inspector Observations: Wiping towels are observed used, reused, and stored on food prep surfaces. [CA] Wiping towels shall be stored in sanitizing solution of an approved concentration when not in use (100 ppm - chlorine, 200 ppm - quaternary ammonium).

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations: Drain line from soda machine extends into the floor sink. [CA] Provide a minimum of a 1 inch air gap between the end of drain lines from equipment and the rim of the floor sinks.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Raw chicken	Food prep unit insert	40.00 Fahrenheit	
Chlorine sanitizer	dishwasher	100.00 PPM	
Rice	hot holding	160.00 Fahrenheit	
Raw shell eggs	Reach-in cooler	41.00 Fahrenheit	
Beef patty	Grill	165.00 Fahrenheit	
cooked beef	Upright reach-in cooler	41.00 Fahrenheit	
Pork	Hot holding	167.00 Fahrenheit	
Turkey	Upright reach-in cooler	40.00 Fahrenheit	
Hot water	Three compartment sink	120.00 Fahrenheit	
Pasta	Drawer cooler	40.00 Fahrenheit	
Mango lassi	Grab and go	41.00 Fahrenheit	
Hot water	handwash sink	100.00 Fahrenheit	
Beans	Cooling	130.00 Fahrenheit	
Tofu	Upright reach-in cooler	41.00 Fahrenheit	
Noodles	Upright reach-in cooler	41.00 Fahrenheit	
Chicken	Hot holding	140.00 Fahrenheit	
Bean sprouts	Upright reach-in cooler	41.00 Fahrenheit	
Chicken	Grill	170.00 Fahrenheit	
Raw beef	Upright reach-in cooler	41.00 Fahrenheit	
Pork	Drawer cooler	41.00 Fahrenheit	

OFFICIAL INSPECTION REPORT

Facility FA0258188 - ST-RAY'S	Site Address 750 ESCONDIDO RD, STANFORD, CA 94305	Inspection Date 12/07/2022
Program PR0377968 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name KLEIN, RAYMOND	Inspection Time 12:15 - 14:00

Overall Comments:

Facility is closed due to wastewater back up from the floor sink.

Facility shall cease operations until violation has been corrected

To reopen, facility shall reach out to the district specialist or the main office at 408-918-3400 to schedule a re inspection.

CLOSURE / PERMIT SUSPENSION NOTICE

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **12/21/2022**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Lorena
Manager
Signed On: December 07, 2022