

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0269785 - PANERA BREAD BAKERY & CAFE		Site Address 4180 N FIRST ST, SAN JOSE, CA 95134		Inspection Date 04/30/2026	
Program PR0401513 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13			Owner Name PANGENERA, LLC		Inspection Time 13:05 - 14:40
Inspected By ALELI CRUTCHFIELD	Inspection Type ROUTINE INSPECTION		Consent By TIMMY	FSC Jasvinder Kapoor 5/11/2029	

Placard Color & Score
GREEN
93

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						
K02 Communicable disease; reporting/restriction/exclusion	X						
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						S
K06 Adequate handwash facilities supplied, accessible			X				
K07 Proper hot and cold holding temperatures	X						S
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods						X	
K10 Proper cooking time & temperatures					X		
K11 Proper reheating procedures for hot holding	X						
K12 Returned and reservice of food	X						
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		X
K40 Wiping cloths: properly used, stored		X
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0269785 - PANERA BREAD BAKERY & CAFE	Site Address 4180 N FIRST ST, SAN JOSE, CA 95134	Inspection Date 04/30/2026
Program PR0401513 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name PANGENERA, LLC	Inspection Time 13:05 - 14:40
K48 Plan review		
K49 Permits available		
K58 Placard properly displayed/posted		

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: Paper towel dispenser found empty at hand sink next to sandwich prep station. [CA] Keep dispenser stocked at all times. [COS]

K39 - 2 Points - Thermometers missing or inaccurate; 114157, 114159

Inspector Observations: Broken digital display thermometer reads 'Error' and thermometer inside walk in noted. [CA] Provide a new thermometer in walk in [COS]

K40 - 2 Points - Wiping cloths: improperly used and stored; 114135, 114185.1 114185.3(d,e)

Inspector Observations: Sanitizer in wiping cloth bucket measured below required range (acceptable range is 272-700 ppm). [CA] Maintain sanitizer between 272-700ppm at all times. [COS] Wiping cloth bucket was replenished with sanitizer.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
beef	walk in cooler	29.00 Fahrenheit	
cream cheese	1 door unit below bagel cutter	36.00 Fahrenheit	
ambient	walk in cooler - across	39.00 Fahrenheit	
	dishwasher		
chlorine	dishwasher	50.00 PPM	
milk, american cheese	walk in cooler - across	39.00 Fahrenheit	
	dishwasher		
ambient	sandwich prep unit (top)	33.00 Fahrenheit	
chicken salad	sandwich prep unit	30.00 Fahrenheit	
ambient	2 door unit below bagel shelf	30.00 Fahrenheit	
hot water	hand sink	100.00 Fahrenheit	
sliced cherry tomatoes	sandwich prep unit	36.00 Fahrenheit	
milk	undercounter blender	40.00 Fahrenheit	
tuna salad	sandwich prep unit	41.00 Fahrenheit	
ambient	unit (fresh fruit)	37.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **5/14/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0269785 - PANERA BREAD BAKERY & CAFE	Site Address 4180 N FIRST ST, SAN JOSE, CA 95134	Inspection Date 04/30/2026
Program PR0401513 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name PANGENERA, LLC	Inspection Time 13:05 - 14:40

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: timmy kapoor
gm

Signed On: April 30, 2026