

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0260475 - THE EVEREST MOMO		Site Address 1593 MONTEREY RD, SAN JOSE, CA 95110		Inspection Date 06/11/2020	
Program PR0381771 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14			Owner Name THE EVEREST MOMO, LLC		Inspection Time 15:00 - 16:00
Inspected By JASON SONG		Inspection Type LIMITED INSPECTION		Consent By SHIVENDRA	

Placard Color & Score GREEN N/A
--

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations: Goose neck sprayer installed on far left faucet at warewash sink without a swivel spigot available. [CA] A faucet able to reach all basins of the warewash sink must be provided for cleaning purposes.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: Measured air temperature of walk-in freezer at 47F. Per operator, items in freezer are not for public consumption. [CA] Refrigeration must be capable of maintaining PHFs at 41°F or below. Ensure freezer air temperature is below 41F prior to use.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: Lack of drain cover for floor sinks at walk-in cooler and walk-in freezer. [CA] Provide grate covers over all exposed floor sinks.

Performance-Based Inspection Questions

N/A

Measured Observations

<u>Item</u>	<u>Location</u>	<u>Measurement</u>	<u>Comments</u>
Air temperature	Walk-in freezer	47.00 Fahrenheit	Adjust air temperature to below 41F (recommend <20F) prior to use
Hot water	Warewash sink	147.00 Fahrenheit	
Air temperature	Walk-in cooler	42.00 Fahrenheit	

Overall Comments:

OWNERSHIP CHANGE INFORMATION

NEW OWNER: THE EVEREST MOMO, LLC NEW FACILITY NAME: THE EVEREST MOMO

The applicant has completed the application for an Environmental Health Permit.

FP11 \$1227 ** TO BE BILLED NO PAYMENT RECEIVED**

Permit issued and valid: 07/01/2020 - 06/30/2021

This report serves as a temporary permit until the official permit is mailed to the facility.

Post permit in public view.

OFFICIAL INSPECTION REPORT

Facility FA0260475 - THE EVEREST MOMO	Site Address 1593 MONTEREY RD, SAN JOSE, CA 95110	Inspection Date 06/11/2020
Program PR0381771 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name THE EVEREST MOMO, LLC	Inspection Time 15:00 - 16:00

***Structural Review inspection conducted on 06/11/2020**

***Permit condition: No food prep allowed in dry storage area or any areas where a handwash sink is not readily available.
If using dry storage room to cool foods, finish ceiling with approved materials or finishes.**

FSC information: Shivendra Basnet - 7/16/2023. All other food employees must have valid food handler cards within 30 days from hire date.

Okay to operate as of today.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **6/25/2020**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control

Received By:

Signed On: June 11, 2020

Comment: No signature obtained due to Social Distancing Order.
Report sent to confirmed email address.