

**County of Santa Clara**  
**Department of Environmental Health**  
**Consumer Protection Division**

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716  
 Phone (408) 918-3400 www.ehinfo.org



**OFFICIAL INSPECTION REPORT**

<b>Facility</b> FA0214202 - RICE N BUBBLES		<b>Site Address</b> 734 S WOLFE RD, SUNNYVALE, CA 94086	<b>Inspection Date</b> 03/31/2026
<b>Program</b> PR0304465 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10		<b>Owner Name</b> OVISO GROUP LLC	<b>Inspection Time</b> 13:30 - 14:00
<b>Inspected By</b> SUKHREET KAUR	<b>Inspection Type</b> LIMITED INSPECTION	<b>Consent By</b> CATHERINE	

<b>Placard Color &amp; Score</b>  <b>RED</b> <b>N/A</b>
--

**Comments and Observations**

**Major Violations**

K22 - 8 Points - Sewage and wastewater improperly disposed; 114197

**Inspector Observations: Observed wastewater overflowing and collected in janitorial sink.**  
**[CA] Food facility shall not operate if there is sewage overflowing or backing up in the food facility. The food facility, or impacted areas, shall remain closed until all plumbing problems have been corrected and all contaminated surfaces have been cleaned and sanitized.**

<b>Follow-up By</b> 04/03/2026
-----------------------------------

**Minor Violations**

No minor violations were observed during this inspection.

**Performance-Based Inspection Questions**

N/A

**Measured Observations**

<u>Item</u>	<u>Location</u>	<u>Measurement</u>	<u>Comments</u>
Ambient	Freezer	20.00 Fahrenheit	
Ambient	Freezer	10.00 Fahrenheit	
Ambient	Refrigerators (upright)	41.00 Fahrenheit	
Water	Hand wash sink restroom	100.00 Fahrenheit	
Hot water	Three compartment sink	120.00 Fahrenheit	
Water	Hand wash sink	100.00 Fahrenheit	
Ambient	Refrigerators (under counter)	41.00 Fahrenheit	
Ambient	Freezer	3.00 Fahrenheit	

**Overall Comments:**

**Unable to complete ownership change.**

**No permit issued.**

**Structural Review conducted.**

**Facility must fix major violation K22. Contact district specialist at (408) 918-3460 when ready to schedule a follow up inspection.**

**Facility shall not start any operations until a follow up inspection to verify major violation K22 is conducted to complete change ownership and issue a permit.**

# OFFICIAL INSPECTION REPORT

Facility FA0214202 - RICE N BUBBLES	Site Address 734 S WOLFE RD, SUNNYVALE, CA 94086	Inspection Date 03/31/2026
Program PR0304465 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name OVISO GROUP LLC	Inspection Time 13:30 - 14:00

## CLOSURE / PERMIT SUSPENSION NOTICE


When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **4/14/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.

### Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: KAYA KOEN

Signed On: March 31, 2026