

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0257167 - MOSAIC RESTAURANT		Site Address 211 S 1ST ST, SAN JOSE, CA 95113	Inspection Date 07/20/2020
Program PR0375794 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 3 - FP17		Owner Name RED SILK INC	Inspection Time 13:00 - 13:45
Inspected By ANJANI SIRCAR	Inspection Type FOLLOW-UP INSPECTION	Consent By LESLIE YU	

Placard Color & Score GREEN N/A

Comments and Observations

Major Violations

Cited On: 07/16/2020

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Compliance of this violation has been verified on: 07/20/2020

Cited On: 07/17/2020

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Compliance of this violation has been verified on: 07/20/2020

Minor Violations

N/A

Measured Observations

N/A

Overall Comments:

The purpose of this inspection was a follow up of the closure dated 07/16/20 and a re-inspection dated 07/17/20 due to the presence of vermin.

This is a charged re-inspection. A re-inspection fee of \$219 will be billed to the account.

At the time of the inspection there was no evidence of vermin or activity throughout the facility.

Ensure all food contact surfaces are cleaned and sanitized prior to any food prep.

The facility is okay to reopen and permit is reinstated

FACILITY RE-OPENED / PERMIT REINSTATED

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **8/3/2020**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control

Received By: _____

Signed On: July 20, 2020

Comment: No Signature obtained due to COVID-19