

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0201387 - BBQ 152		Site Address 8295 MONTEREY ST, GILROY, CA 95020		Inspection Date 08/06/2026		Placard Color & Score GREEN 88		
Program PR0301554 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			Owner Name INGRAM, ERIC R		Inspection Time 15:30 - 16:45			
Inspected By GUILLERMO VAZQUEZ		Inspection Type ROUTINE INSPECTION		Consent By REESE D.				FSC Fidel H. 7/19/30

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						S
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible			X				S
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available			X				
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		X
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		X
K45	Floor, walls, ceilings: built, maintained, clean		X
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0201387 - BBQ 152		Site Address 8295 MONTEREY ST, GILROY, CA 95020	Inspection Date 08/06/2026
Program PR0301554 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11		Owner Name INGRAM, ERIC R	Inspection Time 15:30 - 16:45
K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: Hand wash station next to alcohol/cashier station is missing a paper towel dispenser at the time of inspection.

[CA] Install a new paper towel dispenser within the hand wash station area.

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Hot water within the facility was measured at 102°F at the time of inspection. Valve for the water heater was set on low.

[CA] Ensure hot water heater is operable and maintained in good repair at all times.

[SA] Valve was set to a higher setting and water temperature within the facility is rising.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: Cardboard is being used to line dunnage racks in the dry storage area.

[CA] Discontinue the use of cardboard boxes to line shelves/flooring, use approved equipment made of materials that is easily cleanable, durable, smooth, and nonabsorbent.

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations: Sticky fly traps were noted around the dry storage area and around the front prep area by cashier station at the time of inspection.

[CA] Insect control devices that are used to electrocute or stun flying insects shall be designed to retain the insect within the device and be installed away from the storage and preparation of food or food contact surfaces and linens. Install more approved fly traps.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: Wall behind the ice machine has a mold like substance that is starting to grow.

[CA] Walls and/or floors in food preparation area shall be kept clean.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

OFFICIAL INSPECTION REPORT

Facility FA0201387 - BBQ 152	Site Address 8295 MONTEREY ST, GILROY, CA 95020	Inspection Date 08/06/2026
Program PR0301554 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name INGRAM, ERIC R	Inspection Time 15:30 - 16:45

Measured Observations

Item	Location	Measurement	Comments
Cheese	Walk in #2	39.00 Fahrenheit	
Cooked chilly beans	Hot holding (steam table)	155.00 Fahrenheit	
Hot water	3-Compartment/prep/mop sinks	102.00 Fahrenheit	Adjust to 120°F minimum. SA
Raw steak	Walk in	39.00 Fahrenheit	
Sausage	Hot holding (warmer #2)	146.00 Fahrenheit	
Ice cream	Freezer chest	5.00 Fahrenheit	
Sanitizer (Lactic acid)	3-Compartment/sanitizer bucket	704.00 PPM	Range 704-1875PPM.
Whip cream	Walk in #2	39.00 Fahrenheit	
Cooked ribs	Hot holding (warmer)	147.00 Fahrenheit	
Cooked steak	BBQ grill	171.00 Fahrenheit	Final cook temperature.
Mac and cheese	Hot holding (steam table)	152.00 Fahrenheit	
Cooked chicken	Walk in	39.00 Fahrenheit	
Ambient	Walk in #3	39.00 Fahrenheit	Non-PHF's (beer/drinks)
Tri-tip	Hot holding (warmer)	144.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **8/20/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control

Received By: Reese D.
PIC
Signed On: August 06, 2026