

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0209583 - LA GRULLENSA		Site Address 461 S CAPITOL AV 15, SAN JOSE, CA 95127		Inspection Date 03/30/2026		Placard Color & Score YELLOW 68		
Program PR0304747 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			Owner Name GALINDO, LOUIS & SISNERC		Inspection Time 13:00 - 14:30			
Inspected By ALEXANDER ALFARO		Inspection Type ROUTINE INSPECTION		Consent By RICARDO				FSC Not Available

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification			X				
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures		X		X			
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods			X				
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized		X		X			
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips	X	X
K35	Equipment, utensils: Approved, in good repair, adequate capacity	X	
K36	Equipment, utensils, linens: Proper storage and use	X	
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices	X	
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available	X	

OFFICIAL INSPECTION REPORT

Facility FA0209583 - LA GRULLENSA	Site Address 461 S CAPITOL AV 15, SAN JOSE, CA 95127	Inspection Date 03/30/2026
Program PR0304747 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name GALINDO, LOUIS & SISNEROS, ELE	Inspection Time 13:00 - 14:30
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations:

Pinto beans and sour cream in the three door upright cooler at the kitchen area measured between 44-49F. Per cook, they have been in the fridge since last night and have not been taken out. Cooler thermometer read at 50F. Ambient air measurement measured at 47F. Other PHFs were thawing and were at 41F or below. Eggs measured at 45F.

[CA] PHFs shall be held at 41°F or below or at 135°F or above.

[COS] Pinto beans and sour cream were discarded. All other PHFs were moved to one of the coolers in the back room that were functioning properly.

Follow-up By
04/06/2026

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations:

Staff were observed skipping the sanitizing step of warewashing.

[CA] Manual sanitization shall be accomplished in the final sanitizing rinse by contacting a chlorine solution of 100 PPM concentration for at least 30 seconds or by contacting a quaternary ammonium solution of 200 PPM concentration for at least 60 seconds.

[COS] Permit holder came by the facility to provide bleach and plug stoppers to fill the basins and sanitize dishes.

Follow-up By
04/06/2026

Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

Inspector Observations:

The Food Safety Certificate has expired.

[CA] Food facilities that prepare, handle, or serve non-prepackaged potentially hazard foods shall have a valid Food Safety Certificate available for review at all times.

K09 - 3 Points - Improper cooling methods; 114002, 114002.1

Inspector Observations:

Facility was using a plastic cambro to cool carnitas.

[CA] Cool foods using approved containers which facilitate heat transfer, such as metal.

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations:

Facility lacks drain plugs to fill the basins of the three compartment sink.

[CA] Plugs/stoppers shall be available to fill up the warewashing sink.

[COS] Permit holder provided drain plugs.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

OFFICIAL INSPECTION REPORT

Facility FA0209583 - LA GRULLENSA	Site Address 461 S CAPITOL AV 15, SAN JOSE, CA 95127	Inspection Date 03/30/2026
Program PR0304747 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name GALINDO, LOUIS & SISNEROS, ELE	Inspection Time 13:00 - 14:30

Inspector Observations:

1. The three door upright cooler is not maintaining PHFs at 41°F or below.

[CA] Refrigeration must be capable of maintaining PHFs at 41°F or below. Repair, replace, remove, or service the unit.

2. Facility is using cardboard to line the shelves of the dry storage room shelves throughout the facility.

[CA] Discontinue the use of cardboard boxes to line shelves/flooring, use approved equipment made of materials that is easily cleanable, durable, smooth, and nonabsorbent.

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5

Inspector Observations:

The ice scoop handle was in contact with ice meant for consumption in the ice bin.

[CA] Handle to ice scoop shall be stored so that it is not in direct contact with ice.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations:

The handwash sink faucet is loose.

[CA] Repair plumbing fixture and maintain in clean and good repair.

K47 - 2 Points - Signs not posted; last inspection report not available; 113725.1, 113953.5, 113978, 114381(e)

Inspector Observations:

The women's restroom lacks a handwash reminder sign.

[CA] A sign or poster that notifies food employees to wash their hands shall be posted at all handwashing stations used by food employees.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Milk	Upright Cooler	42.00 Fahrenheit	
Beans	Three Door Upright Cooler	49.00 Fahrenheit	VC&D
Rice	Steam Table	140.00 Fahrenheit	
Carne Asada	Three Door Upright Cooler	32.00 Fahrenheit	Thawing
Chicken	Steam Table	140.00 Fahrenheit	
Menudo	Three Door Upright Cooler	30.00 Fahrenheit	Thawing
Carnitas	Ice Bath - Counter	120.00 Fahrenheit	30 minutes cooling
Water	Three Compartment Sink	120.00 Fahrenheit	
Beans	Steam Table	140.00 Fahrenheit	
Water	Handwash Sink	100.00 Fahrenheit	
Menudo	Ice Bath - Prep Table	80.00 Fahrenheit	1 hour cooling
Chlorine - Sanitizer	Three Compartment Sink	100.00 PPM	

Overall Comments:

Notes:

- A follow up inspection will be conducted within 5 business days to verify compliance with major violations noted. The first follow up inspection is free of charge. Any and all subsequent follow up inspections shall be charged at the approved hourly rate of \$298.00/hr, minimum of one hour, during normal business hours: Monday through Friday 7:30 AM to 4:30 PM, and \$645 for a minimum of two hours, during non-business hours, and upon inspector availability.

OFFICIAL INSPECTION REPORT

Facility FA0209583 - LA GRULLENSA	Site Address 461 S CAPITOL AV 15, SAN JOSE, CA 95127	Inspection Date 03/30/2026
Program PR0304747 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name GALINDO, LOUIS & SISNEROS, ELE	Inspection Time 13:00 - 14:30

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **4/13/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Fernando
Owner
Signed On: March 30, 2026