

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0264198 - CVS/PHARMACY #9198		Site Address 1675 HOLLENBECK AV, SUNNYVALE, CA 94087		Inspection Date 06/05/2024	
Program PR0300568 - NO FOOD PREP (GROCERY STORE) < 5,000 SQ FT - FP06			Owner Name LONGS DRUG STORES CALI		Inspection Time 12:10 - 12:40
Inspected By JESSICA ZERTUCHE	Inspection Type FOLLOW-UP INSPECTION	Consent By CHRISTOPHER			

Placard Color & Score GREEN N/A

Comments and Observations

Major Violations

Cited On: 05/31/2024

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Compliance of this violation has been verified on: 06/05/2024

Cited On: 05/31/2024

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Compliance of this violation has been verified on: 06/05/2024

Minor Violations

N/A

Measured Observations

Item	Location	Measurement	Comments
hot water	mop sink	120.00 Fahrenheit	

Overall Comments:

This is a follow up inspection

Paper towel rolls observed in all restrooms, however covers missing. Manager provided work orders, new paper towel dispensers will be installed.

Ensure soap and paper towels are provided at all times to restrooms handwash sinks

Hot water available at mop sink.

green placard posted

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **6/19/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control

Received By: Christopher Hasegawa
manager

Signed On: June 05, 2024