

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0272474 - HINDU TEMPLE- KITCHEN		Site Address 450 PERSIAN DR, SUNNYVALE, CA 94089		Inspection Date 03/06/2026		Placard Color & Score GREEN 82		
Program PR0412137 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name HINDU TEMPLE SOUTH BAY		Inspection Time 10:25 - 11:50			
Inspected By SUKHREET KAUR		Inspection Type ROUTINE INSPECTION		Consent By RAGHAV PRASAD				FSC RAGHAV PRASAD 10/15/2028

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible		X		X			
K07	Proper hot and cold holding temperatures			X				
K08	Time as a public health control; procedures & records					X		
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available			X				
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips	X	
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		X
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0272474 - HINDU TEMPLE- KITCHEN		Site Address 450 PERSIAN DR, SUNNYVALE, CA 94089	Inspection Date 03/06/2026
Program PR0412137 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10		Owner Name HINDU TEMPLE SOUTH BAY	Inspection Time 10:25 - 11:50
K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: Lack of soap and paper towels at hand wash sink near upright refrigerator.

[CA] Provide soap and paper towels at all times.

[COS] Soap refilled and napkins provided.

Minor Violations

K07 - 3 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: Measured half and half at 48F in upright small refrigerator. Ambient temperature of the refrigerator measured at 50F.

[CA] PHFs shall be held at 41°F or below or at 135°F or above.

[COS] PIC lowered the temperature of the refrigerator.

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Hot water measured at 115F at three compartment sink.

[CA] Hot water shall be supplied at a minimum temperature of at least 120°F measured from the faucet throughout facility except at handwash sinks.

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations: Lack of chlorine test strips.

[CA] Provide chlorine test strips.

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations: Observed personal items stored on food prep tables.

[CA] No person shall store clothing or personal effects in any area used for the storage and preparation of food or food contact surfaces.

Observed a gap under back screen door.

[CA] Eliminate gap greater than 1/4" to prevent the entrance and harborage of vermin.

Performance-Based Inspection Questions

N/A

Measured Observations

Item	Location	Measurement	Comments
Milk	Two door refrigerator	41.00 Fahrenheit	
Heavy cream	Upright refrigerator	48.00 Fahrenheit	
Hot water	Three compartment sink	115.00 Fahrenheit	
Water	Hand wash sink	100.00 Fahrenheit	
Milk	Two door refrigerator #2	41.00 Fahrenheit	

Overall Comments:

Facility receives pest control service monthly.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **3/20/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0272474 - HINDU TEMPLE- KITCHEN	Site Address 450 PERSIAN DR, SUNNYVALE, CA 94089	Inspection Date 03/06/2026
Program PR0412137 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name HINDU TEMPLE SOUTH BAY	Inspection Time 10:25 - 11:50

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: MAHESH SHARMA

Signed On: March 06, 2026