

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0208639 - HOAGIE STEAK OUT		Site Address 304 S 3RD ST, SAN JOSE, CA 95112		Inspection Date 11/19/2024	
Program PR0306631 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name YP ENTERPRISE INC		Inspection Time 11:00 - 11:45
Inspected By ALEXANDER ALFARO	Inspection Type ROUTINE INSPECTION	Consent By STEVE	FSC		

Placard Color & Score
GREEN
91

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						
K02 Communicable disease; reporting/restriction/exclusion	X						S
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						S
K06 Adequate handwash facilities supplied, accessible			X	X			N
K07 Proper hot and cold holding temperatures	X						
K08 Time as a public health control; procedures & records					X		
K09 Proper cooling methods					X		
K10 Proper cooking time & temperatures					X		
K11 Proper reheating procedures for hot holding					X		
K12 Returned and reservice of food					X		
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips	X	
K35 Equipment, utensils: Approved, in good repair, adequate capacity	X	
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use	X	
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built,maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0208639 - HOAGIE STEAK OUT	Site Address 304 S 3RD ST, SAN JOSE, CA 95112	Inspection Date 11/19/2024
Program PR0306631 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name YP ENTERPRISE INC	Inspection Time 11:00 - 11:45
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations:

In the ware wash area, at the hand sink, there was no soap available in the dispenser.

[CA] Provide handwashing cleanser in dispenser at handwash stations at all times.

[COS] Staff restocked the dispenser at time of the inspection.

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations:

Facility lacks the testing materials for their choice of sanitizer, chlorine.

[CA] Testing equipment and materials shall be provided to adequately measure the applicable sanitization method used during manual or mechanical warewashing.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations:

Several pieces of equipment (toaster oven, microwave, electric kettle, rice cooker, and syrup dispenser) throughout the facility are not ANSI certified.

[CA] New and/or replacement food equipment shall be certified or classified for sanitation by an American National Standards Institute (ANSI) accredited certification program (e.g. NSF, UL EPH, UL Sanitation, CSA Sanitation, or ETL Sanitation). Remove or replace the equipment with ANSI certified equipment.

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

Inspector Observations:

1. In the ware wash area only one of the four bulbs are working.

2. In the employee restroom the lights are not working.

[CA] In every room and area in which any food is prepared, manufactured, processed or prepackaged or in which equipment or utensils are cleaned, sufficient natural or artificial lighting shall be provided.

Performance-Based Inspection Questions

Needs Improvement - Adequate handwash facilities: supplied or accessible.

Measured Observations

Item	Location	Measurement	Comments
Beef	Upright Cooler	39.00 Fahrenheit	
Beef	Grill	145.00 Fahrenheit	
Raw Beef	Prep Cooler	40.00 Fahrenheit	
Ambient Air	Upright Freezer	8.00 Fahrenheit	
Water	Three Compartment Sink	145.00 Fahrenheit	
Water	Hand Sink	110.00 Fahrenheit	
Chlorine - Sanitizer	Three Compartment Sink	100.00 PPM	

OFFICIAL INSPECTION REPORT

Facility FA0208639 - HOAGIE STEAK OUT	Site Address 304 S 3RD ST, SAN JOSE, CA 95112	Inspection Date 11/19/2024
Program PR0306631 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name YP ENTERPRISE INC	Inspection Time 11:00 - 11:45

Overall Comments:

OWNERSHIP CHANGE INFORMATION

NEW FACILITY NAME: Banme Hoagie Steak Out

NEW OWNER: Chau Truong

The applicant has completed the facility evaluation application process for an Environmental Health Permit.

The permit category for this facility is FP10. An invoice for the permit fee in the amount of \$1,107.00 will be mailed to the billing address on the application. Payment must be submitted within 10 days of receipt of the invoice. The owner is responsible for contacting our department if an invoice is not received and remit payment within 30 days.

The Environmental Health Permit will be effective: 12/01/24 - 11/30/25 This report serves as a temporary permit. However, the permit will be deemed invalid if the permit fee is not paid in full within 30 days from the date of this report. Okay to Operate.

An official permit will be mailed to the address on file and shall be posted in public view upon receipt.

**Structural Review inspection conducted on 11/19/24*


**Permit condition: None*

**Obtain food safety manager certificate within 60 days. All other food employees must have valid food handler cards within 30 days from hire date.*

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than 12/3/2024. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Steve Pham
Person in Charge
Signed On: November 19, 2024