

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0271834 - PASTA FRESCA		Site Address 87 N SAN PEDRO ST 131, SAN JOSE, CA 95110		Inspection Date 05/27/2026		Placard Color & Score YELLOW 78		
Program PR0411015 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			Owner Name SHAWN MCKENNA		Inspection Time 13:25 - 14:25			
Inspected By ALEXANDER ALFARO		Inspection Type ROUTINE INSPECTION		Consent By PAOLA				FSC Shawn McKenna 09/29/2027

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures		X		X			
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods	X						
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals		X		X			

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		X
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		X
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		X
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0271834 - PASTA FRESCA	Site Address 87 N SAN PEDRO ST 131, SAN JOSE, CA 95110	Inspection Date 05/27/2026
Program PR0411015 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name SHAWN MCKENNA	Inspection Time 13:25 - 14:25
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations:

Potentially Hazardous Foods in the left prep cooler were measured between 46-48F. Per PIC some of the items were prepared today around 11 am and other were in the unit over night. Ambient air of the unit was measured at 48F.

[CA] PHFs shall be held at 41°F or below or at 135°F or above.

[COS] Items prepared today and in the cooler for less than 4 hours were moved to a working cooler to finish cooling. Other PHFs in the unit for greater than 4 hours were discarded. See VC&D report.

Follow-up By
06/03/2026

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations:

1. Observed Vermin: Documented in the following areas:

- A live cockroach stuck in tape near an power surge protector.*
- A dead cockroach stuck on tape under a prep table.*

2. Photographs: Taken for documentation purposes.

Follow-up By
06/03/2026

[CA]: The premises of each food facility must be maintained free of vermin. A facility cannot operate if there is a vermin infestation that leads to contamination of food contact surfaces, packaging, utensils, food equipment, or adulteration of food. The facility is required to cease operations immediately and must remain closed until all corrective actions on the provided checklist are completed.

[COS] PIC eliminated and removed the dead cockroaches from the facility. Facility was treated this morning by Terminix pest control. Service report indicated there was one (1) dead German cockroach in the facility which PIC stated was the one under the prep table.

Minor Violations

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations:

The left prep cooler is in disrepair and not maintaining PHFs at 41F or below. Per PIC, they had the unit serviced two days ago and will call back the technician.

[CA] Refrigeration must be capable of maintaining PHFs at 41°F or below.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations:

The pasta boiler waste water hose lacks an air gap at the floor sink.

[CA] All equipment that discharges liquid waste shall be drained by means of indirect waste pipes, and all wastes drained by them shall discharge through an airgap into a floor sink or other approved type of receptor.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations:

There is a hole in the half wall near the dry storage rack across the three compartment sink.

[CA] Repair holes in structure and maintain in good repair to prevent pest harborage.

OFFICIAL INSPECTION REPORT

Facility FA0271834 - PASTA FRESCA	Site Address 87 N SAN PEDRO ST 131, SAN JOSE, CA 95110	Inspection Date 05/27/2026
Program PR0411015 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name SHAWN MCKENNA	Inspection Time 13:25 - 14:25

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Ground Beef	Walk in Cooler	40.00 Fahrenheit	Facilities Held in Common
Water	Three Compartment Sink	120.00 Fahrenheit	
Chicken	Cooling	90.00 Fahrenheit	1 hour of cooling on a sheet tray.
Quaternary Ammonia - Sanitizer	Three Compartment Sink	300.00 PPM	From dispenser in the Facilities Held in Common space.
Shredded Cheese	Prep Cooler - Top Insert and Bottom bag	48.00 Fahrenheit	VC&D
Lasagna	Prep Cooler - bottom	48.00 Fahrenheit	VC&D
Cream	Upright Cooler	38.00 Fahrenheit	
Meatball	Bain Marie	156.00 Fahrenheit	
Water	Handwash Sink	100.00 Fahrenheit	
Chicken	Final Cook	197.00 Fahrenheit	

Overall Comments:

Notes:

- A follow up inspection will be conducted within 5 business days to verify compliance with major violations noted. The first follow up inspection is free of charge. Any and all subsequent follow up inspections shall be charged at the approved hourly rate of \$282.00/hr, minimum of one hour, during normal business hours: Monday through Friday 7:30 AM to 4:30 PM, and \$645 for a minimum of two hours, during non-business hours, and upon inspector availability.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **6/10/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control


Received By: Jose
Cook
Signed On: May 27, 2026