

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0200997 - CUPERTINO LIQUORS		Site Address 7335 BOLLINGER RD F, CUPERTINO, CA 95014		Inspection Date 01/12/2026		Placard Color & Score GREEN 94		
Program PR0304927 - NO FOOD PREP <5,000 SQ FT - FP06			Owner Name AMV LIQUORS		Inspection Time 13:20 - 14:05			
Inspected By FRANK LEONG		Inspection Type ROUTINE INSPECTION		Consent By PARDEEP KUMAR				FSC Exempt

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						N
K06	Adequate handwash facilities supplied, accessible			X	X			N
K07	Proper hot and cold holding temperatures	X						S
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods						X	
K10	Proper cooking time & temperatures						X	
K11	Proper reheating procedures for hot holding						X	
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available			X				
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0200997 - CUPERTINO LIQUORS	Site Address 7335 BOLLINGER RD F, CUPERTINO, CA 95014	Inspection Date 01/12/2026
Program PR0304927 - NO FOOD PREP <5,000 SQ FT - FP06	Owner Name AMV LIQUORS	Inspection Time 13:20 - 14:05
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: In the employee restroom, observed a lack of paper towels at the paper towel dispenser.

[CA] Ensure paper towels are provided in the paper towel dispenser for the restroom handwash station to allow for proper handwashing.

[SA] Facility does not serve any open food, only prepackaged food. Paper towel dispenser to be refilled by tomorrow.

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Lack of hot water at the employee restroom handwash station due to non-functioning hot water knob.

[CA] ENSure hot water at the handwash station is provided between 100F and 108F. Provide repairs to the hot water knob at the handwash station.

Performance-Based Inspection Questions

Needs Improvement - Hands clean/properly washed/gloves used properly.

Needs Improvement - Adequate handwash facilities: supplied or accessible.

Measured Observations

Item	Location	Measurement	Comments
ambient air temperature	reach in refrigerator 1	40.00 Fahrenheit	
ambient air temperature	freezer chest (ice cream)	10.00 Fahrenheit	
ambient air temperature	reach in refrigerator 3	39.00 Fahrenheit	
ambient air temperature	walk-in refrigerator/reach inrefrigerator	38.00 Fahrenheit	
hot water	handwash sink (restroom)	60.00 Fahrenheit	hot water unavailable
ambient air temperature	3 door reach in refrigerator	38.00 Fahrenheit	
ambient air temperature	reach in refrigerator 2	39.00 Fahrenheit	
hot water	3 compartment sink	120.00 Fahrenheit	
ambient air temperature	freezer chest (ice)	1.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **1/26/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0200997 - CUPERTINO LIQUORS	Site Address 7335 BOLLINGER RD F, CUPERTINO, CA 95014	Inspection Date 01/12/2026
Program PR0304927 - NO FOOD PREP <5,000 SQ FT - FP06	Owner Name AMV LIQUORS	Inspection Time 13:20 - 14:05

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control

pdv

Received By: PARDEEP KUMAR

PIC

Signed On: January 12, 2026