

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0208854 - PIEDMONT SHELL		Site Address 3295 SIERRA RD, SAN JOSE, CA 95132		Inspection Date 06/12/2025		Placard Color & Score GREEN 88		
Program PR0306479 - NO FOOD PREP <5,000 SQ FT - FP06			Owner Name AU ENERGY, LLC		Inspection Time 09:30 - 10:30			
Inspected By MAMAYE KEBEDE		Inspection Type ROUTINE INSPECTION		Consent By BELL BAUTISTA				FSC

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible		X		X			
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods						X	
K10	Proper cooking time & temperatures						X	
K11	Proper reheating procedures for hot holding						X	
K12	Returned and reservice of food					X		
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized					X		
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		X
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		X
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0208854 - PIEDMONT SHELL	Site Address 3295 SIERRA RD, SAN JOSE, CA 95132	Inspection Date 06/12/2025
Program PR0306479 - NO FOOD PREP <5,000 SQ FT - FP06	Owner Name AU ENERGY, LLC	Inspection Time 09:30 - 10:30
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: *There was no paper towel supply on the two compartment warewash sink which is also used as a handwash station. There was no handwash soap as well. A warewash sink is used for handwashing. [CA] Provide paper towel supply and replace the dish soap with a handwash soap. The PIC stored napkins next to the two compartment warewash sink (COS).*

Follow-up By
06/12/2025

Minor Violations

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations: *There is no sanitizer measuring strip. [CA] Please provide approved sanitizer measuring strip for the chemical used to wash the pots.*

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: *There are some holes on the ceiling above the coffee making machine, service counter, and above the beverage fridges. [CA] To prevent any vermin infestation and hiding, please seal all the holes on the ceiling.*

There are some damaged floor patches back in the wash and dry storage area. [CA] Repair the damaged floor patches immediately.

Performance-Based Inspection Questions

N/A

Measured Observations

Item	Location	Measurement	Comments
Ice cream	Ice cream cooler	0.00 Fahrenheit	IR
Hot water	Two compartment sink	120.00 Fahrenheit	

Overall Comments:

Note: 1. *The facility sells prepackaged ice cream and non-PHF food products including coffee and juice.*

2. *There is not curbed janitorial sink in the facility. A two compartment wash sink is being used for washing of dishes. During a remodeling a dedicated janitorial sink, three compartment warewash sink, and handwash sink must be installed in the preparation area.*


When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **6/26/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0208854 - PIEDMONT SHELL	Site Address 3295 SIERRA RD, SAN JOSE, CA 95132	Inspection Date 06/12/2025
Program PR0306479 - NO FOOD PREP <5,000 SQ FT - FP06	Owner Name AU ENERGY, LLC	Inspection Time 09:30 - 10:30

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Bell Bautista
Manager

Signed On: June 12, 2025