

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0211345 - SAN MARTIN CAFE		Site Address 13475 MONTEREY HY, SAN MARTIN, CA 95046		Inspection Date 04/15/2026		Placard Color & Score GREEN 88		
Program PR0300858 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			Owner Name BRISEIDA PEREZ		Inspection Time 10:45 - 12:00			
Inspected By GUILLERMO VAZQUEZ		Inspection Type ROUTINE INSPECTION		Consent By PEREZ BRISEIDA				FSC Salvador H. 1/25/28

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible			X				
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food					X		
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available			X				
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		X
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		X
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		X
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0211345 - SAN MARTIN CAFE		Site Address 13475 MONTEREY HY, SAN MARTIN, CA 95046	Inspection Date 04/15/2026
Program PR0300858 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11		Owner Name BRISEIDA PEREZ	Inspection Time 10:45 - 12:00
K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: Hand wash station next to the cook line is not operational at the time of inspection. Per PIC, they have issues with the valves for that sink right now.

[CA] Make repairs to the hand wash station.

[SA] Facility has an additional next to dish washer that is being used and is fully stocked.

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Hot water within the 3-compartment was measured at 115°F at the time of inspection.

[CA] Hot water shall be supplied at a minimum temperature of at least 120°F measured from the faucet throughout facility except at hand wash sinks. Adjust water heater properly.

REPEAT VIOLATION. Failure to comply may result in enforcement action.

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations: Unable to provide test strips for quats at the time of inspection.

[CA] Testing equipment and materials shall be provided to adequately measure the applicable sanitation method used during manual or mechanical ware-washing.

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

Inspector Observations: 1. Light bulb within the hood system is out at the time of inspection.

[CA] Replace the light bulb.

2. Hood system is missing one of the filters at the time of inspection.

[CA] Ventilation hood filters shall be maintained clean and good repair.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: Multiple damaged floor tiles noted in front of the prep sink at the time of inspection.

[CA] Replace broken floor tiles with a smooth and of durable construction and nonabsorbent material that is easily cleanable.

Performance-Based Inspection Questions

N/A

OFFICIAL INSPECTION REPORT

Facility FA0211345 - SAN MARTIN CAFE	Site Address 13475 MONTEREY HY, SAN MARTIN, CA 95046	Inspection Date 04/15/2026
Program PR0300858 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name BRISEIDA PEREZ	Inspection Time 10:45 - 12:00

Measured Observations

Item	Location	Measurement	Comments
Cheese	Reach in #3	40.00 Fahrenheit	
Milk	Reach in	39.00 Fahrenheit	
Ambient	Freezer chest	5.00 Fahrenheit	
Beans	Hot holding (steam table)	163.00 Fahrenheit	
Chile verde	Hot holding (steam table)	166.00 Fahrenheit	
Milk	Reach in #2	39.00 Fahrenheit	
Hot water	3-Compartment/prep/mop sinks	115.00 Fahrenheit	Adjust to 120°F minimum.
Sanitizer (Quats)	Dish washer	200.00 PPM	
Pooled eggs	Prep table	40.00 Fahrenheit	
Cooked omlet	Cook line	196.00 Fahrenheit	Final cook temperature.
Cooked chorizo	Reach in #3	39.00 Fahrenheit	
Cooked rice	Reach in	39.00 Fahrenheit	
Pico de gallo	Prep table	39.00 Fahrenheit	
Cooked steak	Under counter refrigeration (prep table)	39.00 Fahrenheit	
Warm water	Hand wash/restroom	100.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **4/29/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Elias Perez
PIC

Signed On: April 15, 2026