

# County of Santa Clara

## Department of Environmental Health

### Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



## OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0256139 - BJ'S RESTAURANT & BREWHOUSE		<b>Site Address</b> 925 BLOSSOM HILL RD 1535, SAN JOSE, CA 95123		<b>Inspection Date</b> 05/21/2025		<b>Placard Color &amp; Score</b> <div style="background-color: green; color: white; padding: 10px; text-align: center;"> <b>GREEN</b>  <b>94</b> </div>		
<b>Program</b> PR0374033 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14			<b>Owner Name</b> CHICAGO PIZZA & BREWER'		<b>Inspection Time</b> 12:20 - 13:45			
<b>Inspected By</b> JENNIFER RIOS		<b>Inspection Type</b> ROUTINE INSPECTION		<b>Consent By</b> JOEL				<b>FSC</b> Joel Romo 09/27/2025

  

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						S
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures	X						S
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods	X						
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food					X		
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

  

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use	X	
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices	X	
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned	X	
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

# OFFICIAL INSPECTION REPORT

Facility FA0256139 - BJ'S RESTAURANT & BREWHOUSE	Site Address 925 BLOSSOM HILL RD 1535, SAN JOSE, CA 95123	Inspection Date 05/21/2025
Program PR0374033 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name CHICAGO PIZZA & BREWERY INC	Inspection Time 12:20 - 13:45
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

## Comments and Observations

### Major Violations

No major violations were observed during this inspection.

### Minor Violations

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

**Inspector Observations: Observed light out in ventilation hood. [CA] Repair/replace light.**

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

**Inspector Observations: Observed leak in drain pipe under three compartment sink. [CA] Repair plumbing fixture and maintain in clean and good repair.**

K43 - 2 Points - Toilet facilities: improperly constructed, supplied, cleaned; 114250, 114250.1, 114276

**Inspector Observations: Observed toilet paper on top of dispensers in restroom. [CA] Toilet tissue shall be provided in a permanently installed dispenser at each toilet.**

### Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

### Measured Observations

Item	Location	Measurement	Comments
Mashed potato	Hot holding	180.00 Fahrenheit	
Mozzarella	Cold holding insert	39.00 Fahrenheit	
Shredded cheese	Cold holding insert	39.00 Fahrenheit	
Raw chicken	Walk in fridge	39.00 Fahrenheit	
Warm water	Restroom handwash	100.00 Fahrenheit	
Macaroni balls	Walk in fridge	39.00 Fahrenheit	
Rice	Walk in fridge	38.00 Fahrenheit	
Chicken wings	Cold holding drawer	40.00 Fahrenheit	
Diced tomato	Cold holding insert	40.00 Fahrenheit	
Marinara	Hot holding	140.00 Fahrenheit	
Hot water	Three compartment sink	120.00 Fahrenheit	
Warm water	Hnadwash	100.00 Fahrenheit	
Chlorine	Mechanical warewash	50.00 PPM	
Hot water	Three compartment sink - bar	120.00 Fahrenheit	
Quaternary ammonia	Three compartment sink	300.00 PPM	
Quaternary ammonia	Sanitizing bucket	300.00 PPM	

### Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **6/4/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

# OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0256139 - BJ'S RESTAURANT & BREWHOUSE	<b>Site Address</b> 925 BLOSSOM HILL RD 1535, SAN JOSE, CA 95123	<b>Inspection Date</b> 05/21/2025
<b>Program</b> PR0374033 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	<b>Owner Name</b> CHICAGO PIZZA & BREWERY INC	<b>Inspection Time</b> 12:20 - 13:45

## Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control

JOEL

---

**Received By:** Joel Romo  
General manager

**Signed On:** May 21, 2025