

**County of Santa Clara**  
**Department of Environmental Health**  
**Consumer Protection Division**

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716  
 Phone (408) 918-3400 www.ehinfo.org



**OFFICIAL INSPECTION REPORT**

<b>Facility</b> FA0230502 - HOUSE OF BAGELS-505		<b>Site Address</b> 505 E SAN CARLOS ST, SAN JOSE, CA 95112	<b>Inspection Date</b> 07/15/2025
<b>Program</b> PR0330537 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10		<b>Owner Name</b> CHIAR, MARK	<b>Inspection Time</b> 15:10 - 15:40
<b>Inspected By</b> ALEXANDER ALFARO	<b>Inspection Type</b> FOLLOW-UP INSPECTION	<b>Consent By</b> BOB	

<b>Placard Color &amp; Score</b> <b>GREEN</b> <b>N/A</b>
--

**Comments and Observations**

**Major Violations**

Cited On: 07/09/2025

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

**Compliance of this violation has been verified on: 07/15/2025**

Cited On: 07/09/2025

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

**This violation found not in compliance on 07/15/2025. See details below.**

Cited On: 07/09/2025

K08 - 8 Points - Improperly using time as a public health control procedures & records; 114000

**Compliance of this violation has been verified on: 07/15/2025**

**Minor Violations**

N/A

**Measured Observations**

<u>Item</u>	<u>Location</u>	<u>Measurement</u>	<u>Comments</u>
Cream Cheese	Upright Cooler	40.00 Fahrenheit	
Water	Hand Sink	100.00 Fahrenheit	

**Overall Comments:**

*This is the first follow up inspection.*

*K06: All hand wash stations were restocked.*

*K07: All PHFs were in appropriate time and temperature relationships.*

*K08: TPHC was being used properly and written procedures were available.*

*K32: Facility has labeled the items at the self service coffee bar.*

*K35: The two door cooler was replaced with a like for like unit and is maintaining PHFs at 41F or below. Facility was in the process of removing the ice machine from the ice bin.*

*K47: Facility has posted the Environmental Health Permit.*

*Continue to correct any and all pending violations.*

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **7/29/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

# OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0230502 - HOUSE OF BAGELS-505	<b>Site Address</b> 505 E SAN CARLOS ST, SAN JOSE, CA 95112	<b>Inspection Date</b> 07/15/2025
<b>Program</b> PR0330537 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	<b>Owner Name</b> CHIAR, MARK	<b>Inspection Time</b> 15:10 - 15:40

**Legend:**

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



---

**Received By:** Bob  
Manager

**Signed On:** July 15, 2025