

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0210230 - SILVER CREEK VALLEY POOL SNACK BAR		Site Address 5967 COUNTRY CLUB PY, SAN JOSE, CA 95138		Inspection Date 06/27/2025		Placard Color & Score YELLOW 76		
Program PR0306436 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name SILVER CREEK VALLEY COU		Inspection Time 13:45 - 15:10			
Inspected By MAMAYE KEBEDE		Inspection Type ROUTINE INSPECTION		Consent By BECKY				FSC Genaro Maldonado 2/24/2030

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible		X		X			
K07	Proper hot and cold holding temperatures	X						N
K08	Time as a public health control; procedures & records					X		
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized		X		X			N
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified	X	
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity	X	
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use	X	
K39	Thermometers provided, accurate	X	
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0210230 - SILVER CREEK VALLEY POOL SNACK BAR	Site Address 5967 COUNTRY CLUB PY, SAN JOSE, CA 95138	Inspection Date 06/27/2025
Program PR0306436 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name SILVER CREEK VALLEY COUNTRY CLUB	Inspection Time 13:45 - 15:10
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: *There were no soap and paper towel supplies on the front handwash station.*

[CA] *Refill the wall-mounted soap and paper towel dispenser immediately. Until the wall-mounted soap dispenser is refilled/fixed, provide a pump-type soap dispenser. The facility manager provided a pump-type soap dispenser (COS).*

Follow-up By
06/27/2025

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations: *The sanitizer concentration on the kitchen's three compartment warewash sink was measured at 0 ppm chlorine.*

[CA] *Whenever sanitizing utensils/equipment is conducted using a three compartment warewash sink, there must be a 100-ppm residual chlorine or 200 ppm quaternary ammonia sanitizer level on the sanitizing compartment. The person in charge refilled one sink of the warewash sink with lukewarm water and added bleach manually to create a 100-ppm chlorine solution to sanitize the utensils (COS).*

Follow-up By
06/27/2025

Minor Violations

K30 - 2 Points - Food storage containers are not identified; 114047, 114049, 114051, 114053, 114055, 114067(h), 114069 (b)

Inspector Observations: *Many food products on boxes were stored directly on the floor or on milk crate back in the storage area.*

[CA] *To prevent insect hiding and breeding and for easy cleaning of the floor area, please store all food products at least six inches off the floor on an approved shelf or dunnage rack.*

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: *The mechanical dishwasher is directly connected to sewer line.*

[CA] *To prevent possible backup of sewage, drain from the mechanical dishwasher must flash into a floor sink. Please stop using the low temp mechanical dishwasher.*

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

Inspector Observations: *A countertop pizza oven kitchen area was stored outside the exhaust hood.*

[CA] *All utensils and equipment shall be certified or classified for sanitation by an American National Standards Institute (ANSI) accredited certification program (e.g., NSF, UL EPH, UL Sanitation, CSA Sanitation, or ETL Sanitation). In addition to this, any equipment that produce oil, grease, steam, and heat must be stored under the exhaust hood, unless the equipment has got an exemption from this department. Please relocate the oven under the exhaust hood or remove from the kitchen immediately.*

K39 - 2 Points - Thermometers missing or inaccurate; 114157, 114159

Inspector Observations: *There was no functional thermometer inside of the upright double door fridge.*

[CA] *To monitor the ambient air temperature of the units, please install a functional thermometer on all refrigeration units.*

There was not a functional prob thermometer to measure the internal temperature of the cold and hot food products.

[CA] *Provide an approved prob type thermometer and use it with regular calibration and sanitization.*

Performance-Based Inspection Questions

Needs Improvement - Food contact surfaces clean, sanitized.

Needs Improvement - Proper hot and cold holding temperatures.

OFFICIAL INSPECTION REPORT

Facility FA0210230 - SILVER CREEK VALLEY POOL SNACK BAR	Site Address 5967 COUNTRY CLUB PY, SAN JOSE, CA 95138	Inspection Date 06/27/2025
Program PR0306436 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name SILVER CREEK VALLEY COUNTRY CLUB	Inspection Time 13:45 - 15:10

Measured Observations

Item	Location	Measurement	Comments
Sliced turkey	Preparation fridge	39.00 Fahrenheit	
Chicken	Undercounter fridge	41.00 Fahrenheit	
Cheese	Preparation fridge	41.00 Fahrenheit	
Diced tomato	Preparation fridge	41.00 Fahrenheit	
Hot water	Three compartment sink	130.00 Fahrenheit	
Quaternary ammonia	Three compartment sink	200.00 PPM	

Overall Comments:

Note: Food safety manager certificate: Genaro Maldonado - 2/24/2030.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **7/11/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Becky Manalaysay
Pavilion Manager

Signed On: June 27, 2025