

# County of Santa Clara

## Department of Environmental Health

### Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



## OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0303988 - GREAT GAS		<b>Site Address</b> 16500 LOS GATOS BL, LOS GATOS, CA 95032	<b>Inspection Date</b> 11/15/2022
<b>Program</b> PR0370312 - NO FOOD PREP (GROCERY STORE) < 5,000 SQ FT - FP06		<b>Owner Name</b> GREAT GAS LOS GATOS INC	<b>Inspection Time</b> 11:05 - 11:35
<b>Inspected By</b> HELEN DINH	<b>Inspection Type</b> LIMITED INSPECTION	<b>Consent By</b> KAGI	

<b>Placard Color &amp; Score</b> <b>GREEN</b> <b>N/A</b>
--

### Comments and Observations

#### Major Violations

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

**Inspector Observations:** *Lacking single use paper towel at only hand wash station in employee restroom. [CA]  
Single use paper towel shall be provided in dispenser at all times. [COS] Operator directed to restock.*

#### Minor Violations

K43 - 2 Points - Toilet facilities: improperly constructed, supplied, cleaned; 114250, 114250.1, 114276

**Inspector Observations:** *REPEAT: Found when flushing toilet in employee restroom, water is seeping onto floor.  
[CA] Repair toilet to be in good repair. Ensure water does not leak from underneath.*

#### Performance-Based Inspection Questions

N/A

#### Measured Observations

N/A

#### Overall Comments:

*Inspection conducted in conjunction to CO0152470.*

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **11/29/2022**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

#### Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control

**Received By:** Kagi Islam  
Cashier  
**Signed On:** November 15, 2022