

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0203748 - O'MALLEY'S SPORTS PUB		Site Address 2135 OLD MIDDLEFIELD WY, MOUNTAIN VIEW, CA		Inspection Date 05/12/2026		Placard Color & Score GREEN 77		
Program PR0303378 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09			Owner Name POS ENTERPRISES		Inspection Time 14:40 - 15:50			
Inspected By TRAVIS KETCHU		Inspection Type ROUTINE INSPECTION		Consent By LYUDMILA MOOREEHAD				FSC

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures		X		X			
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods						X	
K10	Proper cooking time & temperatures						X	
K11	Proper reheating procedures for hot holding						X	
K12	Returned and reservice of food						X	
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals			X				

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected	X	
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean	X	
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity	X	
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices	X	
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing	X	
K45	Floor, walls, ceilings: built, maintained, clean	X	
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0203748 - O'MALLEY'S SPORTS PUB	Site Address 2135 OLD MIDDLEFIELD WY, MOUNTAIN VIEW, CA 94043	Inspection Date 05/12/2026
Program PR0303378 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	Owner Name POS ENTERPRISES	Inspection Time 14:40 - 15:50
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: Measured whipped cream at 55 F within the two door upright refrigerator. Ambient temperature of the unit measured at 56 F.

[CA] PHFs shall be held at 41°F or below or at 135°F or above.

[COS] Whipped cream voluntarily discarded.

Minor Violations

K23 - 3 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations: Observed drain fly activity throughout the facility.

[CA] Food facility shall be kept free of non-disease carrying insects, weevils, ants, gnats, and fruit flies.

K27 - 2 Points - Food not separated and unprotected; 113984(a-d,f), 113986, 114060, 114067(a,d,e,j), 114069(a,b), 114077, 114089.1(c), 114143(c)

Inspector Observations: Ice bins are installed directly next to the hand wash sink and the three compartment sink drain boards.

[CA] A minimum 6" high metal splash guard spanning the full length of the drainboard shall be installed on each ice bin to protect the potable ice from splash contamination. And additional splash guard shall be installed between the hand wash sink and ice bin.

K33 - 2 Points - Nonfood contact surfaces not clean; 114115(c)

Inspector Observations: Build-up of a mold like material on the inner wall panels of the walk in refrigerator.

[CA] Nonfood-contact surfaces of equipment shall be kept free of an accumulation of dust, dirt, food residue, and other debris.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: 1. Observed the installation of a Vevor unventilated pizza oven at the bar (not in use). Unit does not appear to have a ANSI accredited certification.

[CA] Remove unapproved equipment. All utensils and equipment shall be certified or classified for sanitation by an American National Standards Institute (ANSI) accredited certification program (e.g. NSF, UL EPH, UL Sanitation, CSA Sanitation, or ETL Sanitation).

A person proposing to install new cooking equipment shall submit plans and specifications for review and shall receive plan approval prior to starting any new construction or remodeling. Contact DEH at 408-918-3400 or at www.ehinfo.org to obtain plan check requirements.

2. The ambient temperature of the two door upright refrigerator measured at 56 F.

[CA] Refrigeration must be capable of maintaining PHFs at 41°F or below.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations: Ice bin drain lines are directly plumbed into the waste water piping.

[CA] All equipment that discharges liquid waste shall be drained by means of indirect waste pipes, and all wastes drained by them shall discharge through an airgap into a floor sink or other approved type of receptor.

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

OFFICIAL INSPECTION REPORT

Facility FA0203748 - O'MALLEY'S SPORTS PUB	Site Address 2135 OLD MIDDLEFIELD WY, MOUNTAIN VIEW, CA 94043	Inspection Date 05/12/2026
Program PR0303378 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	Owner Name POS ENTERPRISES	Inspection Time 14:40 - 15:50

Inspector Observations: *Clutter and unused equipment stored behind the rear of the facility.*

[CA] *The premises of a food facility shall be free of litter and items that are unnecessary to the operation or maintenance of the facility, such as equipment that is nonfunctional or no longer used.*

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: *The floor within the bar is unsealed, non-cove base flooring. The floor surface within the walk in refrigerator is unsealed wood.*

[CA] *The floor surfaces shall be smooth, of durable construction, and of nonabsorbent material that is easily cleanable. The juncture of the floor and wall shall be coved with a 3/8-inch minimum radius coving and shall extend up the wall at least 4 inches.*

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
ambient temp	walk in fridge 1	38.00 Fahrenheit	
ambient temp	keg fridge	40.00 Fahrenheit	
quat sanitizer	3 comp sink	200.00 PPM	
ambient temp	reach in fridge	40.00 Fahrenheit	
ambient temp	shared walk in fridge	40.00 Fahrenheit	
whipped cream	2 door upright fridge	56.00 Fahrenheit	

Overall Comments:

OWNERSHIP CHANGE INFORMATION

NEW FACILITY NAME: *O'Malley's Sports Pub*

NEW OWNER: *H. H. 365 LLC*

The applicant has completed the facility evaluation application process for an Environmental Health Permit.

The permit category for this facility is FP09.

An invoice for the permit fee in the amount of \$664.00, plus a 25 % late fee of \$166.00 will be mailed to the billing address on the application.

Payment must be submitted within 10 days of receipt of the invoice. The owner is responsible for contacting our department if an invoice is not received and remit payment within 30 days.

The Environmental Health Permit will be effective: 06/01/2026 - 05/31/2027

This report serves as a temporary permit. However, the permit will be deemed invalid if the permit fee is not paid in full within 30 days from the date of this report.

Okay to Operate.

An official permit will be mailed to the address on file and shall be posted in public view upon receipt.

**Structural Review inspection conducted on 5/12/2026*

**Obtain food safety manager certificate within 60 days. All other food employees must have valid food handler cards within 30 days from hire date.*

OFFICIAL INSPECTION REPORT

Facility FA0203748 - O'MALLEY'S SPORTS PUB	Site Address 2135 OLD MIDDLEFIELD WY, MOUNTAIN VIEW, CA 94043	Inspection Date 05/12/2026
Program PR0303378 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	Owner Name POS ENTERPRISES	Inspection Time 14:40 - 15:50

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **5/26/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: lyudmila mooreehad
pic
Signed On: May 12, 2026