

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0283384 - PANDA EXPRESS #2684		Site Address 1700 S BASCOM AV, CAMPBELL, CA 95008		Inspection Date 01/06/2026		Placard Color & Score GREEN 90		
Program PR0425077 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13			Owner Name PANDA EXPRESS GROUP IN		Inspection Time 14:30 - 16:30			
Inspected By HELEN DINH		Inspection Type ROUTINE INSPECTION		Consent By DANIEL (M) & HIEU (GM)				FSC Daniel Barajas 9/2/30

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures		X		X			N
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		X
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0283384 - PANDA EXPRESS #2684		Site Address 1700 S BASCOM AV, CAMPBELL, CA 95008	Inspection Date 01/06/2026
Program PR0425077 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13		Owner Name PANDA EXPRESS GROUP INC	Inspection Time 14:30 - 16:30
K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: *Measured a container of orange chicken holding between 111F - 134F at hot inserts at service line for less than 4 hours. [CA] Maintain all hot PHFs at or above 135F. [COS] Operator directed to reheat PHFs to 165F.*

Minor Violations

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations: *1. Lacking atmospheric pressure valve at mop sink. [CA] In stall atmospheric pressure valve.*

2. Found a leak at 1-compartment sink (left side) when water is on. [CA] Secure leak.

Performance-Based Inspection Questions

Needs Improvement - Proper hot and cold holding temperatures.

Measured Observations

Item	Location	Measurement	Comments
orange chicken	hot insert @ cooks line	111.00 Fahrenheit	between 111F - 136F, for less than 4 hours. COS-reheat to 165F
raw beef	5 door under drawer	40.00 Fahrenheit	
chow mein	hot insert @ cooks line	156.00 Fahrenheit	
white rice	warmer	172.00 Fahrenheit	
quat	sani bucket	200.00 PPM	
raw chicken	walk-in	40.00 Fahrenheit	
hot water	warewash/(2x) 1-comp/mop sink	120.00 Fahrenheit	
raw chicken	5 door under drawer	40.00 Fahrenheit	
warm water	handsink (front, cooks)	100.00 Fahrenheit	
warm water	handsink (RR) under sensor	103.00 Fahrenheit	
chicken teriyaki	hot insert @ cooks line	167.00 Fahrenheit	
fried rice	hot insert @ cooks line	139.00 Fahrenheit	
ambient	walk-in-freezer	2.20 Fahrenheit	
eggs rolls	2 door reach in freezer	20.00 Fahrenheit	

Overall Comments:

Note: *Discussed time as a public health control (TPHC) with operator, TPHC form provided.*


When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than 1/20/2026. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0283384 - PANDA EXPRESS #2684	Site Address 1700 S BASCOM AV, CAMPBELL, CA 95008	Inspection Date 01/06/2026
Program PR0425077 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name PANDA EXPRESS GROUP INC	Inspection Time 14:30 - 16:30

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Daniel Barajas
Manager
Signed On: January 06, 2026