

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0230249 - TERIYAKI MADNESS		Site Address 850 BLOSSOM HILL RD, SAN JOSE, CA 95123		Inspection Date 11/10/2025		Placard Color & Score GREEN 85		
Program PR0330253 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name AZASA INC		Inspection Time 10:00 - 11:00			
Inspected By JENNIFER RIOS		Inspection Type ROUTINE INSPECTION		Consent By LAURA				FSC Julie Sosa 09/16/2029

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						S
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use					X		
K05	Hands clean, properly washed; gloves used properly					X		N
K06	Adequate handwash facilities supplied, accessible		X		X			N
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records					X		
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures	X						S
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food					X		
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized					X		
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available			X				
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips	X	
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices	X	
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0230249 - TERIYAKI MADNESS	Site Address 850 BLOSSOM HILL RD, SAN JOSE, CA 95123	Inspection Date 11/10/2025
Program PR0330253 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name AZASA INC	Inspection Time 10:00 - 11:00
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: Paper towel dispenser located next to three compartment sink was not working/no paper towels provided. [CA] Single-use sanitary towels shall be provided in dispensers. [COS] PIC provided paper towels.

Minor Violations

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Hot water measured 117F after allowing the water to run. [CA] Hot water shall be supplied at a minimum temperature of at least 120°F measured from the faucet throughout facility except at handwash sinks.

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations: Observed raw chicken being cut/prepared on cutting board on the drain board of the three compartment sink on the sanitizing side. [CA] Ensure that three compartment sink is used for warewashing. Use the preparation tables and preparation sink for the preparing of foods.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations: Observed leak under handwash sink so that when hands were washed, all the waste water spilled onto the floor. [CA] Repair plumbing fixture and maintain in clean and good repair. PIC will put a bucket under handwash sink to catch water so that the handwash sink may still be used during operation. Second handwash sink is not located nearby.

Performance-Based Inspection Questions

Needs Improvement - Hands clean/properly washed/gloves used properly.

Needs Improvement - Adequate handwash facilities: supplied or accessible.

Measured Observations

Item	Location	Measurement	Comments
Raw beef	Cold holding drawer	38.00 Fahrenheit	
Cooked chicken	Cold holding insert	35.00 Fahrenheit	
Warm water	Handwash	100.00 Fahrenheit	
Raw chicken	Cold holding drawer	40.00 Fahrenheit	
Chicken	Cooked	178.00 Fahrenheit	
Hot water	Three compartment sink	117.00 Fahrenheit	
Frozen chicken	Reach in freezer	10.00 Fahrenheit	
Raw chicken	Walk in fridge	40.00 Fahrenheit	
Quaternary ammonia	Three compartment sink	300.00 PPM	
Rice	Hot holding	178.00 Fahrenheit	
Warm water	Restroom handwash	100.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **11/24/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0230249 - TERIYAKI MADNESS	Site Address 850 BLOSSOM HILL RD, SAN JOSE, CA 95123	Inspection Date 11/10/2025
Program PR0330253 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name AZASA INC	Inspection Time 10:00 - 11:00

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Laura Gonzalez
Shift lead

Signed On: November 10, 2025