

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0254551 - CON AZUCAR CAFE	Site Address 7435 MONTEREY RD, GILROY, CA 95020	Inspection Date 09/23/2026
Program PR0371326 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name CON AZUCAR CAFE INC	Inspection Time 13:30 - 14:00
Inspected By MARCELA MASRI	Inspection Type FOLLOW-UP INSPECTION	Consent By SARA SALAZAR

Placard Color & Score

GREEN
N/A

Comments and Observations

Major Violations

N/A

Minor Violations

N/A

Measured Observations

N/A

Overall Comments:

FOLLOW UP INSPECTION FROM 9/18/26 IN WHICH THERE WAS WATER IN THE MOP SINK UNABLE TO DRAIN. THE ICE MACHINE WAS ALSO IN DISREPAIR.

BOTH ISSUE WERE RESOLVED.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **10/7/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control


Received By: SARA SALAZAR
PIC
Signed On: September 23, 2026