

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0209568 - EMELINA'S #3		Site Address 460 E WILLIAM ST, SAN JOSE, CA 95112	Inspection Date 12/26/2025
Program PR0306310 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11		Owner Name PISCO BAR	Inspection Time 13:35 - 13:50
Inspected By NHA HUYNH	Inspection Type FOLLOW-UP INSPECTION	Consent By CLEIVER	

Placard Color & Score GREEN N/A

Comments and Observations

Major Violations

N/A

Minor Violations

N/A

Measured Observations

N/A

Overall Comments:

A follow-up inspection was conducted to verify major violation from Limited Inspection conducted on 12/23/2025 is in compliance.

K23: No live or dead cockroaches observed in the facility. No rat droppings and no gnaw marks on any foods.

Facility OK to re-open.

FACILITY RE-OPENED / PERMIT REINSTATED

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **1/9/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control

Received By: Cleiver Vasquez
operator
Signed On: December 26, 2025