

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0209762 - COLLEGE MARKET		Site Address 502 S 6TH ST, SAN JOSE, CA 95112		Inspection Date 06/23/2026		Placard Color & Score GREEN 80		
Program PR0301139 - NO FOOD PREP <5,000 SQ FT - FP06			Owner Name SAGGI, TARANJIT & CHARAN		Inspection Time 16:25 - 17:10			
Inspected By ALEXANDER ALFARO		Inspection Type ROUTINE INSPECTION		Consent By RANDEEP SINGH				FSC Exempt

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification						X	
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods						X	
K10	Proper cooking time & temperatures						X	
K11	Proper reheating procedures for hot holding						X	
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available			X				
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals			X				

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected	X	
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified	X	
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean	X	
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned	X	
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing	X	
K45	Floor, walls, ceilings: built, maintained, clean	X	
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available	X	

OFFICIAL INSPECTION REPORT

Facility FA0209762 - COLLEGE MARKET	Site Address 502 S 6TH ST, SAN JOSE, CA 95112	Inspection Date 06/23/2026
Program PR0301139 - NO FOOD PREP <5,000 SQ FT - FP06	Owner Name SAGGI, TARANJIT & CHARANJIT KA	Inspection Time 16:25 - 17:10
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations:

Second Repeat Violation: Water at the three compartment sink measured at a peak of 110°F.

[CA] Hot water shall be supplied at a minimum temperature of at least 120°F measured from the faucet throughout facility except at handwash sinks.

K23 - 3 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations:

1. A dead cockroach was found on the floor of the hallway to the three compartment sink.

2. A dead cockroach was found on the floor of the sales area under a metal shelf of prepackaged snacks across the alcohol walk in cooler.

[CA] Clean and sanitize area of dead cockroaches.

K27 - 2 Points - Food not separated and unprotected; 113984(a-d,f), 113986, 114060, 114067(a,d,e,j), 114069(a,b), 114077, 114089.1(c), 114143(c)

Inspector Observations:

Repeat Violation: In one of the walk in coolers raw shelled eggs were stored above ready to eat foods.

[CA] All food shall be separated and protected from cross-contamination. Store all raw meat or other raw products of animal origin below ready-to-eat food items.

K30 - 2 Points - Food storage containers are not identified; 114047, 114049, 114051, 114053, 114055, 114067(h), 114069 (b)

Inspector Observations:

Repeat Violation: Boxes of food are stored on the floors throughout the facility, the back hallway allows for 12-16" inches of room.

[CA] Adequate and suitable space shall be provided for the storage of food, maintain storage area clean and dry to prevent contamination. Organize the boxes to reduce possible contamination and vermin harborage. Allow enough space to freely walk through to the sink to allow for handwashing after restroom use.

K33 - 2 Points - Nonfood contact surfaces not clean; 114115(c)

Inspector Observations:

1. The shelving of the sales floor area has an accumulation of dust and grime.

2. The fans of the walk in coolers have an accumulation of dust and grime.

[CA] Maintain the nonfood contact surfaces clean.

K43 - 2 Points - Toilet facilities: improperly constructed, supplied, cleaned; 114250, 114250.1, 114276

Inspector Observations:

Second Repeat Violation: The restroom door does not self-close.

[CA] Toilet rooms shall be separated by well-fitted, self-closing doors that prevent the passage of flies, dust, or odors.

OFFICIAL INSPECTION REPORT

Facility FA0209762 - COLLEGE MARKET	Site Address 502 S 6TH ST, SAN JOSE, CA 95112	Inspection Date 06/23/2026
Program PR0301139 - NO FOOD PREP <5,000 SQ FT - FP06	Owner Name SAGGI, TARANJIT & CHARANJIT KA	Inspection Time 16:25 - 17:10

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations:

The back premises of the facility have an accumulation of cardboard boxes and other items unnecessary to the facility operation.

[CA] The premises of a food facility shall be free of litter and items that are unnecessary to the operation or maintenance of the facility, such as equipment that is nonfunctional or no longer used.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations:

The floor of the sales area, the storage rooms, and throughout the facility has an accumulation of dust and debris.

[CA] Maintain the floors, walls, and ceilings of the facility clean and in good repair.

K47 - 2 Points - Signs not posted; last inspection report not available; 113725.1, 113953.5, 113978, 114381(e)

Inspector Observations:

Repeat Violation: The Environmental Health permit was posted inside the liquor storage room.

[CA] The health permit issued by this department shall be posted in a conspicuous place in the food facility.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Water	Three Compartment Sink	110.00 Fahrenheit	
Milk	Walk in Cooler	40.00 Fahrenheit	IR
Alcohol	Walk in Cooler	39.00 Fahrenheit	IR
Ambient Air	Walk in Coolers	40.00 Fahrenheit	
Ice Cream	Ice Cream Freezer	20.00 Fahrenheit	IR
Eggs	Walk in Cooler	40.00 Fahrenheit	

Overall Comments:

Notes:

- Failure to correct repeat violations will result in further enforcement from this department.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **7/7/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Randeep Singh
Cashier
Signed On: June 23, 2026