

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0206347 - KUSAN UYGHUR CUISINE		Site Address 1516 N 4TH ST, SAN JOSE, CA 95112		Inspection Date 10/03/2022	
Program PR0306041 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			Owner Name YOLDA INC		Inspection Time 12:40 - 15:00
Inspected By TRAVIS KETCHU	Inspection Type ROUTINE INSPECTION		Consent By ROLANDO CASTILLO	FSC Aximu Youliwasi 5/15/2024	

Placard Color & Score
GREEN
86

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						
K02 Communicable disease; reporting/restriction/exclusion	X						S
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						
K06 Adequate handwash facilities supplied, accessible	X						
K07 Proper hot and cold holding temperatures	X						S
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods	X						
K10 Proper cooking time & temperatures	X						
K11 Proper reheating procedures for hot holding	X						
K12 Returned and reservice of food	X						
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized			X	X			S
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals			X				

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food	X	
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified	X	
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity	X	
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing	X	
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0206347 - KUSAN UYGHUR CUISINE	Site Address 1516 N 4TH ST, SAN JOSE, CA 95112	Inspection Date 10/03/2022
Program PR0306041 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name YOLDA INC	Inspection Time 12:40 - 15:00
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K14 - 3 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations: Measured the chlorine sanitizer level at 0 ppm within the warewashing machine (not during active washing).

[CA] Maintain chlorine in mechanical warewash machine at 50 PPM.

[COS] Warewashing machine line adjusted, chlorine level remeasured at 50 ppm.

K23 - 3 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations: Observed old rodent droppings under the container storage shelf within the dry storage room.

[CA] Clean and sanitize area of dead cockroaches or old droppings.

A follow-up inspection will be conducted. If evidence of vermin is observed during the follow-up inspection further enforcement actions may be forthcoming.

Follow-up By
10/07/2022

K26 - 2 Points - Unapproved thawing methods used; frozen food; 114018, 114020, 114020.1

Inspector Observations: Observed the thawing of meat within containers at room temperature on the cook line storage rack.

[CA] Frozen potentially hazardous food shall only be thawed in one of the following ways: 1) under refrigeration that maintains the food temperature at 41°F or below, 2) completely submerged under potable running water for a period not to exceed two hours at a water temperature of 70°F or below, and with sufficient water velocity to agitate and flush off loose particles into the sink drain, 3) in a microwave oven if immediately followed by immediate preparation, 4) as part of a cooking process.

K30 - 2 Points - Food storage containers are not identified; 114047, 114049, 114051, 114053, 114055, 114067(h), 114069 (b)

Inspector Observations: Observed single use containers stored on the floor of the dry storage room.

[CA] Food shall be stored at least 6 inches above the floor to prevent contamination.

Observed open sugar and spice bags within the dry storage room.

[CA] Store open bulk foods in approved NSF containers with tight fitting lids.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: Observed the following unapproved equipment within the kitchen: chicken cutting machine, noodle making machine, noodle boiler, onion slicer/ egg plant slicer observed.

[CA] Remove unapproved equipment or provide specification sheets showing sanitation listing. All utensils and equipment shall be certified or classified for sanitation by an American National Standards Institute (ANSI) accredited certification program (e.g. NSF, UL EPH, UL Sanitation, CSA Sanitation, or ETL Sanitation).

Follow-up By
10/07/2022

*** Repeat violation. A follow-up inspection will be conducted on 10/6 to ensure compliance.**

Measured the ambient temperature of the one door upright display refrigerator at 55F (not in use to store PHF's).

[CA] Refrigeration must be capable of maintaining PHFs at 41°F or below.

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

OFFICIAL INSPECTION REPORT

Facility FA0206347 - KUSAN UYGHUR CUISINE	Site Address 1516 N 4TH ST, SAN JOSE, CA 95112	Inspection Date 10/03/2022
Program PR0306041 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name YOLDA INC	Inspection Time 12:40 - 15:00

Inspector Observations: *Observed the rear screen door to the facility to be in disrepair and a gap under the steel door.*

[CA] *Eliminate gap greater than 1/4" to prevent the entrance and harborage of vermin.*

Observed unused equipment stored outside the rear of the facility and clutter within the dry storage room.

[CA] *The premises of a food facility shall be free of litter and items that are unnecessary to the operation or maintenance of the facility, such as equipment that is nonfunctional or no longer used.*

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
chlorine	warewashing machine	0.00 PPM	
mushroom	sheet pan	90.00 Fahrenheit	cooling one hour
cream	two door upright fridge	338.00 Fahrenheit	
ambient temperature	one door upright fridge	55.00 Fahrenheit	
shell eggs	2 door reach in fridge	36.00 Fahrenheit	
soup	stove top	190.00 Fahrenheit	
cut tomatoes	open top prep fridge	39.00 Fahrenheit	
raw beef	storage rack	37.00 Fahrenheit	defrosting
pork bun	one door upright fridge	40.00 Fahrenheit	
pork	stove top	170.00 Fahrenheit	
pork bun	display fridge 2	39.00 Fahrenheit	

Overall Comments:

A follow-up inspection will be conducted on 10/6/2022.

A follow up inspection will be conducted on . The first follow-up inspection is free of charge. Subsequent follow up inspections after first follow up shall be billed \$219/hr during business hours and \$493/hr during non business hours upon availability. Failure to comply may result in enforcement action.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **10/17/2022**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Rolando Castillo
PIC

Signed On: October 03, 2022