County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716 Phone (408) 918-3400 www.ehinfo.org

K46 No unapproved private home/living/sleeping quarters K47 Signs posted; last inspection report available



OFFICIAL INSPECTION REPORT									
FA0200358 - FIRE WINGS				Inspection Date 07/21/2023		Placard Color & Score			
Program Owner Name			20.110	Inspection Time G		GR	REEN		
Inspected By	Inspection Type	Consent By	FIRE WINGS STORY F	KD LLC	C 16:00 - 17:00			91	
GUILLERMO VAZQUEZ	ROUTINE INSPECTION	JOSE C.	9/15/25						
RISK FACTORS AND	INTERVENTIONS			IN	OUT Major Minor	COS/SA	N/O	N/A	PBI
K01 Demonstration of know	vledge; food safety certification	า		Χ					S
K02 Communicable disease	e; reporting/restriction/exclusion	on		Χ					S
K03 No discharge from eye	es, nose, mouth			X					
K04 Proper eating, tasting,				Χ					
	washed; gloves used properly	1		Х					
K06 Adequate handwash fa	acilities supplied, accessible				X				S
K07 Proper hot and cold ho	• •				Х				
	n control; procedures & record	S						X	
R09 Proper cooling method								Х	
к10 Proper cooking time &	·			Х					
K11 Proper reheating proce				Х					
K12 Returned and reservice							Х		
K13 Food in good condition				Х					
K14 Food contact surfaces	•				Х	Х			S
K15 Food obtained from ap				Х					
-	stock tags, condition, display							X	
K17 Compliance with Gulf (Х	
K18 Compliance with variar					$ldsymbol{\sqcup}$			Х	
	r raw or undercooked foods							Х	
	acilities/schools: prohibited for	ods not being offered		.,				X	
K21 Hot and cold water ava				X					
K22 Sewage and wastewat				Х					
No rodents, insects, bi	rds, or animals			Χ					
GOOD RETAIL PRACT								OUT	cos
K24 Person in charge prese									
K25 Proper personal cleanl									
	Approved thawing methods used; frozen food								
<u> </u>	Food separated and protected								
K28 Fruits and vegetables									
	erly identified, stored, used								
	Food storage: food storage containers identified								
	Consumer self service does prevent contamination								
1 1	Food properly labeled and honestly presented								
	Nonfood contact surfaces clean								
Warewash facilities: installed/maintained; test strips									
Equipment, utensils: Approved, in good repair, adequate capacity									
Equipment, utensils, linens: Proper storage and use									
K37 Vending machines	vending machines (38) Adequate ventilation/lighting; designated areas, use								
	Adequate ventilation/highting, designated areas, use (39) Thermometers provided, accurate								
	Wiping cloths: properly used, stored								
K41 Plumbing approved, installed, in good repair; proper backflow devices									
K42 Garbage & refuse properly disposed; facilities maintained									
	K43 Toilet facilities: properly constructed, supplied, cleaned								
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing									
K45 Floor, walls, ceilings: b		norago, Adoquate verillili	produing						
Tioor, wans, centrigs. D	ant,mantantou, ordan								

R202 DA4TOZCCI Ver. 2.39.7 Page 1 of 3

OFFICIAL INSPECTION REPORT

Facility FA0299358 - FIRE WINGS	Site Address 779 STORY RD 30, SAN JOSE, CA 95122		Inspection Date 07/21/2023		
Program PR0439313 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2	Owner Name - FP10 FIRE WINGS STORY RD LLC		Inspection Time 16:00 - 17:00		
K48 Plan review					
Permits available					
K58 Placard properly displayed/posted					

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: Hand wash station next to cashier station is blocked within a shelve that does not make it accessible.

[CA] Hand washing facility shall be clean, unobstructed, and accessible at all times.

K07 - 3 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: Noodles within the warming oven were measured at 98*F at the time of inspection. Per PIC, they have been having trouble with the oven and are planning on replacing it completely. [CA] PHFs shall be held at 41°F or below or at 135°F or above.

[SA] Employees are just keeping PHFs within the warming oven for 4-hours and then tossing away.

K14 - 3 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations: Sanitizer within the 3-Compartment sink is not pulling from the dispenser. No active ware-washing.

[CA] Maintain chemical solution for manual warewashing at 100 ppm (1Tbs of bleach (5.25%)/gal of water) for chlorine and 200 ppm (1 tbs of quaternary ammonium (10%)/2 gal of water) for quaternary ammonium. [SA] Sanitizer will be added to the compartment manually until the dispenser is repaired.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

<u>Item</u>	Location	Measurement	Comments
Cheese	Prep table #2	41.00 Fahrenheit	
Cooked wings	Hot holding	167.00 Fahrenheit	
Sanitizer (Chlorine)	Dish washer	50.00 PPM	
Cut tomato	Prep table #2	41.00 Fahrenheit	
Ranch	Prep table	39.00 Fahrenheit	
Ambient	Reach in freezer (2x)	5.00 Fahrenheit	
Cheese	Walk in	38.00 Fahrenheit	
Ranch	Reach in	39.00 Fahrenheit	
Sanitizer (Chlorine)	3-Compartment	0.00 PPM	Adjust to 100PPM. SA
Cooked chicken	Cook line	198.00 Fahrenheit	Final cook temperature.
Noodles	Warming oven	98.00 Fahrenheit	Adjust warming oven to 135*F above to hot hold. SA
Raw chicken	Walk in	38.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than 8/4/2023. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0299358 - FIRE WINGS	Site Address 779 STORY RD 30, S	Inspection Date 07/21/2023	
Program PR0439313 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2	2 - FP10	Owner Name FIRE WINGS STORY RD LLC	Inspection Time

Page 3 of 3

Legend:

 [CA]
 Corrective Action

 [COS]
 Corrected on Site

 [N]
 Needs Improvement

 [NA]
 Not Applicable

 [NO]
 Not Observed

[PBI] Performance-based Inspection[PHF] Potentially Hazardous Food

 [PIC]
 Person in Charge

 [PPM]
 Part per Million

 [S]
 Satisfactory

 [SA]
 Suitable Alternative

[TPHC] Time as a Public Health Control

Sote Cortet

Received By: JOSE C.

PIC

Signed On: July 21, 2023