

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0208740 - AGUA SALADA		Site Address 3132 WILLIAMS RD, SAN JOSE, CA 95117	Inspection Date 05/06/2025
Program PR0301431 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11		Owner Name AGUA SALADA LLC	Inspection Time 11:45 - 12:15
Inspected By CHRISTINA RODRIGUEZ	Inspection Type LIMITED INSPECTION	Consent By ALEX	

Placard Color & Score

GREEN
N/A

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K42 - 2 Points - Garbage and refuse improperly disposed; 114244, 114245, 114245.1, 114245.2, 114245.3, 114245.4, 114245.5, 114245.6, 114245.7, 114245.8

Inspector Observations: *The garbage and oil receptacle are soiled and open. [CA] Please keep the lids closed and clean to help keep away insects and rodents.*

Performance-Based Inspection Questions

N/A

Measured Observations

Item	Location	Measurement	Comments
dressings	refrigerator	38.00 Fahrenheit	
water	dish sink	120.00 Fahrenheit	
cheese	prep unit	37.00 Fahrenheit	
chlorine	dish machine	100.00 PPM	
water	bar dish sink	120.00 Fahrenheit	
water	hand sink	100.00 Fahrenheit	
drinks	bar unit	38.00 Fahrenheit	

Overall Comments:

Facility is not currently open for business. New owner would like to open this week.

OWNERSHIP CHANGE INFORMATION

NEW FACILITY NAME: Agua Salada

NEW OWNER: Agua Salada LLC

The applicant has completed the facility evaluation application process for an Environmental Health Permit.

The permit category for this facility is FP_11. An invoice for the permit fee in the amount of \$1580.00 will be mailed to the billing address on the application. Payment must be submitted within 10 days of receipt of the invoice. The owner is responsible for contacting our department if an invoice is not received and remit payment within 30 days.

The Environmental Health Permit will be effective: 6/1/25 - 5/31/26. This report serves as a temporary permit. However, the permit will be deemed invalid if the permit fee is not paid in full within 30 days from the date of this report. Okay to Operate.

An official permit will be mailed to the address on file and shall be posted in public view upon receipt.

**Structural Review inspection conducted on 5/6/25*

OFFICIAL INSPECTION REPORT

Facility FA0208740 - AGUA SALADA	Site Address 3132 WILLIAMS RD, SAN JOSE, CA 95117	Inspection Date 05/06/2025
Program PR0301431 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name AGUA SALADA LLC	Inspection Time 11:45 - 12:15

***Permit condition:** _____ **ONLY FOODS IN ORIGINAL PREPACKAGED CONTAINERS ARE TO BE STORED IN THE FOOD STORAGE ROOM UNTIL THE DOORS ARE CHANGED TO GET RID OF THE OPENINGS ON THE SIDES AND BELOW. THE PREP KITCHEN AND STORAGE ROOM DOORS MUST FIT TO GET RID OF THE OPENING BELOW AND AROUND THE DOORS TO KEEP INSECTS OUT OF THE FOOD STORAGE AND KITCHEN SINCE THERE ARE GARAGE ROLL UP DOORS.**____

***Obtain food safety manager certificate within 60 days. All other food employees must have valid food handler cards within 30 days from hire date.**

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **5/20/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: _____

Signed On: May 06, 2025