## **County of Santa Clara**

## Department of Environmental Health

## **Consumer Protection Division**

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716 Phone (408) 918-3400 www.ehinfo.org



# **OFFICIAL INSPECTION REPORT**

Faci FA	-	Site Address 2990 E CAPITOL I	EX 20, SAN .IO	SE. CA 95148			ion Date 5/2023	ר	Placard (	Color & Sco	ore
FA0254843 - TOGO'S EATERY Program PR0371979 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC		2990 E CAPITOL EX 20, SAN JOSE, CA 95148 Owner Name 2 - FP13 UPON THE ROCK			Inspection Time 10:45 - 12:10			REEN			
Inspected By Inspection Type Consent By				FSC Federico Chavez					Q	91	
NH	A HUYNH ROUTINE INSPECTION	ASHA RANI		01/17/202	25	_		┛┗			
R	ISK FACTORS AND INTERVENTIONS				IN	O Major	UT Minor	COS/SA	N/O	N/A	PBI
K01	Demonstration of knowledge; food safety certification				Х						
K02	Communicable disease; reporting/restriction/exclusion				Х						S
K03	No discharge from eyes, nose, mouth				Х						S
K04	Proper eating, tasting, drinking, tobacco use				Х						
K05	<ul> <li>Finands clean, properly washed; gloves used properly</li> </ul>				Х						S
K06	Adequate handwash facilities supplied, accessible						X				
K07	Proper hot and cold holding temperatures				Х						
K08	Time as a public health control; procedures & records									X	
K09	Proper cooling methods								Х		
K10	Proper cooking time & temperatures								Х		
	Proper reheating procedures for hot holding								Х		
K12	Returned and reservice of food				Х						
K13	Food in good condition, safe, unadulterated				Х					1	
	Food contact surfaces clean, sanitized				Х						
K15	Food obtained from approved source				Х						
K16	Compliance with shell stock tags, condition, display									Х	
K17	Compliance with Gulf Oyster Regulations									Х	
K18	Compliance with variance/ROP/HACCP Plan									Х	
	Consumer advisory for raw or undercooked foods									Х	
	Licensed health care facilities/schools: prohibited foods no	ot being offered								Х	
	Hot and cold water available	-			Х						
K22	Sewage and wastewater properly disposed				Х						
K23	No rodents, insects, birds, or animals				Х						
G	OOD RETAIL PRACTICES									OUT	COS
K24	Person in charge present and performing duties										
K25	Proper personal cleanliness and hair restraints										
	Approved thawing methods used; frozen food										
	Food separated and protected										
K28	Fruits and vegetables washed										
K29	Toxic substances properly identified, stored, used										
	Food storage: food storage containers identified										
	Consumer self service does prevent contamination										
	Food properly labeled and honestly presented										
	Nonfood contact surfaces clean										
	Warewash facilities: installed/maintained; test strips										
	Equipment, utensils: Approved, in good repair, adequate capacity				Х						
	6 Equipment, utensils, linens: Proper storage and use										
	7 Vending machines										
	Adequate ventilation/lighting; designated areas, use										
	Thermometers provided, accurate										
	Wiping cloths: properly used, stored										
	Plumbing approved, installed, in good repair; proper backflow devices			Х							
	Garbage & refuse properly disposed; facilities maintained										
	Toilet facilities: properly constructed, supplied, cleaned										
	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing			Х							
	Floor, walls, ceilings: built, maintained, clean										
K46	No unapproved private home/living/sleeping quarters										
							K47 Signs posted; last inspection report available				

## **OFFICIAL INSPECTION REPORT**

Facility FA0254843 - TOGO'S EATERY	Site Address I 2990 E CAPITOL EX 20, SAN JOSE, CA 95148		Inspection Date 04/05/2023		
Program PR0371979 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13		Owner Name UPON THE ROCK	Inspection Time 10:45 - 12:10		
K48 Plan review					
K49 Permits available					
K58 Placard properly displayed/posted					

### **Comments and Observations**

#### **Major Violations**

No major violations were observed during this inspection.

#### **Minor Violations**

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

## Inspector Observations:

_	Inspector Observations: Handwash sink observed blocked by sanitizing bucket and sanitizing spray bottle. Employees normally use the handwash sink behind the swinging traffic door. [Corrective Action] Ensure handwash sink is accessible at all times.
	K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182
	Inspector Observations:
	Rubber seal/gasket observed in disrepair the door of prep unit #2 and #3. [Corrective Action] Repair or replace the rubber seal/gasket.
_	
-	rubber seal/gasket. Plastic lid covering the container of sliced tomatoes in the walk-in cooler observed cracked at the corner.
-	rubber seal/gasket. Plastic lid covering the container of sliced tomatoes in the walk-in cooler observed cracked at the corner. [Corrective Action] Replace the lid. K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192,
	rubber seal/gasket. Plastic lid covering the container of sliced tomatoes in the walk-in cooler observed cracked at the corner. [Corrective Action] Replace the lid. K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193.1, 114199.114201, 114269
-	<pre>rubber seal/gasket. Plastic lid covering the container of sliced tomatoes in the walk-in cooler observed cracked at the corner. [Corrective Action] Replace the lid. K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269 Inspector Observations: Hot water not able to completely turn off at the 3 compartment sink. [Corrective Action] Repair or replace so that</pre>

114143 (a,b), 114256, 114256, 114256, 2, 114256, 4, 114257, 114257, 114259, 114259, 114259, 114259, 114259, 114281, 114282

### Inspector Observations:

The floor sink under the soda machine observed with accumulation of grime. [Corrective Action] Routinely clean.

## Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

## **Measured Observations**

ltem	Location	Measurement	<u>Comments</u>
tuna, ham	prep unit #2	40.00 Fahrenheit	
hot water	handwash sink	108.00 Fahrenheit	
hot water	3 compartment sink	123.00 Fahrenheit	
quaternary ammonium sanitizer	3 compartment sink	200.00 PPM	
au jus, cream broccoli soup	hot hold unit	175.00 Fahrenheit	
shredded chicken, sliced tomatoes, tuna	walk-in cooler	39.00 Fahrenheit	
salad			
hummus, sliced tomatoes	prep unit #1	40.00 Fahrenheit	
sauteed mushroom, diced tomatoes,	prep unit #3	40.00 Fahrenheit	
chicken			

### **Overall Comments:**

Plastic containers filled with sliced tomatoes in the walk-in cooler may not be food grade quality.

Operator stated there was an ownership change about 15 days ago. Inspector will look into documents to verify change of ownership.

# **OFFICIAL INSPECTION REPORT**

FacilitySite AddressFA0254843 - TOGO'S EATERY2990 E CAPITOL EX 2		20, SAN JOSE, CA 95148	Inspection Date 04/05/2023	
Program		Owner Name	Inspection Time	
PR0371979 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13		UPON THE ROCK	10:45 - 12:10	

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than <u>4/19/2023</u>. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

### Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative

[TPHC] Time as a Public Health Control

Received By: Asha Rani

Signed On:

Operator April 05, 2023