

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0282723 - TEA VILLA		Site Address 150 S 1ST ST 103, SAN JOSE, CA 95113		Inspection Date 02/27/2024	
Program PR0424088 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name TEA VILLA LLC		Inspection Time 13:05 - 13:15
Inspected By JENNIFER RIOS	Inspection Type FOLLOW-UP INSPECTION	Consent By THIEN NGUYEN			

Placard Color & Score GREEN N/A

Comments and Observations

Major Violations

N/A

Minor Violations

N/A

Measured Observations

N/A

Overall Comments:

This is a charged follow up inspection to the routine inspection conducted on 12/21/2023 and the first two follow ups conducted on 12/27/2023 and 01/03/2024.

Toaster oven impound released and employee removed toaster oven from facility.

Findings from these recent inspections are under review by the Director.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **3/12/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control

Received By: Thien Nguyen
Employee

Signed On: February 27, 2024