

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0202785 - PARADISE BIRYANI POINTE		Site Address 560 N ABEL ST, MILPITAS, CA 95035		Inspection Date 08/01/2024		Placard Color & Score <div style="font-size: 2em; font-weight: bold; text-align: center;">GREEN</div> <div style="font-size: 3em; font-weight: bold; text-align: center;">88</div>		
Program PR0301588 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14			Owner Name PARADISE BIRYANI POINTE/		Inspection Time 11:40 - 12:55			
Inspected By NHA HUYNH		Inspection Type ROUTINE INSPECTION		Consent By ARUN				FSC Vijey Solomon 05/17/2026

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification			X				
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						S
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records	X						
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food					X		
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available			X				
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food	X	
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified	X	
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity	X	
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0202785 - PARADISE BIRYANI POINTE		Site Address 560 N ABEL ST, MILPITAS, CA 95035	Inspection Date 08/01/2024
Program PR0301588 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14		Owner Name PARADISE BIRYANI POINTE/PERSIS RESTAUR.	Inspection Time 11:40 - 12:55
K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

Inspector Observations:

Food Safety Certification observed used in more than one location.

[Corrective Action] Each food facility shall have a separate Food Safety Certified person.

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations:

Hot water supply was turned off at the handwash sink. Upon turning the hot water supply on, observed the faucet leaking when hot and cold water knob turned off.

[Corrective Action] Repair or replace the faucet.

K26 - 2 Points - Unapproved thawing methods used; frozen food; 114018, 114020, 114020.1

Inspector Observations:

Observed goat defrosting at room temperature.

[Corrective Action] Frozen potentially hazardous food shall only be thawed in one of the following ways:

- 1) under refrigeration that maintains the food temperature at 41°F or below,**
- 2) completely submerged under potable running water for a period not to exceed two hours at a water temperature of 70°F or below, and with sufficient water velocity to agitate and flush off loose particles into the sink drain,**
- 3) in a microwave oven if immediately followed by immediate preparation,**
- 4) as part of a cooking process.**

K30 - 2 Points - Food storage containers are not identified; 114047, 114049, 114051, 114053, 114055, 114067(h), 114069 (b)

Inspector Observations:

Containers of dry ingredients in the dry storage room observed not labeled.

[Corrective Action] Label the containers with the common name of the food item.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations:

Rubber seals on the doors of the 3 door prep units in the kitchen observed in disrepair.

[Corrective Action] Repair or replace the rubber seals.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
chicken, milk	walk-in cooler	38.00 Fahrenheit	
chicken	3 door prep cooler (left)	40.00 Fahrenheit	
goat	work table	30.00 Fahrenheit	defrosting
mango lassi	keg cooler	41.00 Fahrenheit	
chlorine sanitizer	dishwasher	50.00 PPM	
fish, yogurt	3 door prep cooler (right)	40.00 Fahrenheit	
mango lassi	beer display cooler	41.00 Fahrenheit	
hot water	handwash sink	123.00 Fahrenheit	
hot water	3 compartment sink	130.00 Fahrenheit	

OFFICIAL INSPECTION REPORT

Facility FA0202785 - PARADISE BIRYANI POINTE	Site Address 560 N ABEL ST, MILPITAS, CA 95035	Inspection Date 08/01/2024
Program PR0301588 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name PARADISE BIRYANI POINTE/PERSIS RESTAUR.	Inspection Time 11:40 - 12:55

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **8/15/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Arun
Employee
Signed On: August 01, 2024