

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0276737 - GONG CHA	Site Address 1600 SARATOGA AV 115, SAN JOSE, CA 95129	Inspection Date 06/12/2024
Program PR0418095 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	Owner Name GONG CHA USA	Inspection Time 16:05 - 16:30
Inspected By DENNIS LY	Inspection Type FOLLOW-UP INSPECTION	Consent By ANASTASIA THURSTON

Placard Color & Score

GREEN
N/A

Comments and Observations

Major Violations

N/A

Minor Violations

N/A

Measured Observations

Item	Location	Measurement	Comments
Hot water	Three compartment sink	140.00 Fahrenheit	Measured at 113F after a minute
Hot water	Handwash sink	138.00 Fahrenheit	
Hot water	Prep sink	140.00 Fahrenheit	Measured at 113F after a minute

Overall Comments:

A subsequent follow-up for routine inspection conducted on 4/25/24 regarding water heater.

Water heater was changed to one that is of a smaller capacity (28 gal.) and is unable to maintain hot water in the facility at 120F. Hot water shall be supplied at a minimum temperature of at least 120°F measured from the faucet throughout facility except at handwash sinks.

At time of inspection, hot water was ran simultaneously from the three compartment sink, prep sink, and handwash sink with temperatures initially measured at 140F but dropped to 113F for the three compartment and prep sink within a minute.

The addition of new equipment will be required to be submitted to this department's Plan Check for review and approval prior to installation EXCEPT when equipment is replaced like-for-like (same model and capacity as previously approved water heater).

An additional subsequent follow-up inspection will be required please contact district specialist when violation has been corrected.

This inspection will be billed \$290

****Next subsequent follow-up inspection is required, it will be billed \$290/hour, minimum one hour, during normal business hours (Mon - Fri 7:30am - 4:30pm), and \$629/hour, minimum two hours, during non business hours and subject to availability of an inspector.*

NOTE: Fee increase takes effect on 6/15/24. If the subsequent follow-up inspection takes place on or after 6/15/24, it will be billed \$298/hour, minimum one hour, during normal business hours (Mon - Fri 7:30am - 4:30pm), and \$645/hour, minimum two hours, during non business hours

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **6/26/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0276737 - GONG CHA	Site Address 1600 SARATOGA AV 115, SAN JOSE, CA 95129	Inspection Date 06/12/2024
Program PR0418095 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	Owner Name GONG CHA USA	Inspection Time 16:05 - 16:30

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Anastasia Thurston
Employee

Signed On: June 12, 2024