

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0261097 - CON AZUCAR CAFE		Site Address 101 E SANTA CLARA ST, SAN JOSE, CA 95113		Inspection Date 01/09/2025	
Program PR0382802 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13			Owner Name UVAA CAFE LLC		Inspection Time 15:55 - 17:20
Inspected By ALEXANDER ALFARO	Inspection Type ROUTINE INSPECTION	Consent By HOLBERT	FSC Not Available 05/23/2024		

Placard Color & Score
GREEN
81

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification			X				
K02 Communicable disease; reporting/restriction/exclusion	X						S
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						S
K06 Adequate handwash facilities supplied, accessible	X						S
K07 Proper hot and cold holding temperatures		X		X			
K08 Time as a public health control; procedures & records					X		
K09 Proper cooling methods					X		
K10 Proper cooking time & temperatures					X		
K11 Proper reheating procedures for hot holding					X		
K12 Returned and reservice of food					X		
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		X
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		X
K35 Equipment, utensils: Approved, in good repair, adequate capacity		X
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0261097 - CON AZUCAR CAFE	Site Address 101 E SANTA CLARA ST, SAN JOSE, CA 95113	Inspection Date 01/09/2025
Program PR0382802 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name UVAA CAFE LLC	Inspection Time 15:55 - 17:20
K48 Plan review		X
K49 Permits available		
K58 Placard properly displayed/posted		

Comments and Observations

Major Violations

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations:

In the front of house area, at the coffee bar are, a gallon of milk was measured at 60°F. Per staff, they left it out for around 30 minutes.

[CA] PHFs shall be held at 41°F or below or at 135°F or above.

[COS] Staff moved the milk to the undercounter cooler for rapid cooling.

Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

Inspector Observations:

The food safety certificate has expired.

Note: Neither staff member were unaware of who is the FSC holder.

[CA] Food facilities that prepare, handle, or serve non-prepackaged potentially hazard foods shall have a valid Food Safety Certificate available for review at all times.

K32 - 2 Points - Food improperly labeled & not honestly presented: 114087, 114089, 114089.1(a, b), 114090, 114093.1

Inspector Observations:

Facility has bags of bread and pastries for sale without proper labeling.

[CA] Food prepackaged in a food facility shall bear a label with the following: 1) common name of the food, 2) list of ingredients in descending order of predominance by weight, 3) quantity of contents, 4) name and place of business of the manufacturer, packer, or distributor.

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations:

Facility does not have the testing materials for their choice of sanitizer, chlorine.

[CA] Testing equipment and materials shall be provided to adequately measure the applicable sanitization method used during manual or mechanical warewashing.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations:

In the back of house area, on a wire rack, there was a non-ANSI microwave.

[CA] New and/or replacement food equipment shall be certified or classified for sanitation by an American National Standards Institute (ANSI) accredited certification program (e.g. NSF, UL EPH, UL Sanitation, CSA Sanitation, or ETL Sanitation).

K48 - 2 Points - Plan review unapproved; 114380

OFFICIAL INSPECTION REPORT

Facility FA0261097 - CON AZUCAR CAFE	Site Address 101 E SANTA CLARA ST, SAN JOSE, CA 95113	Inspection Date 01/09/2025
Program PR0382802 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name UVAA CAFE LLC	Inspection Time 15:55 - 17:20

Inspector Observations:

Per the facility's permit condition they were to submit plans for all their installed equipment and have the final inspection by October 31, 2022. Facility has failed to do so.

Follow-up By 01/13/2025

[CA] Schedule the final inspection and remit any applicable fees within 48 hours. Failure to comply may result in further enforcement from this department such as fines, impoundment, or permit suspension. Contact DEH at 408-918-3400 or at www.ehinfo.org to obtain plan check requirements.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Tomato	Prep Cooler	40.00 Fahrenheit	
Turkey	Prep Cooler	39.00 Fahrenheit	
Water	Three Compartment Sink	150.00 Fahrenheit	
Ham	Upright Cooler	39.00 Fahrenheit	
Milk	Counter	55.00 Fahrenheit	
Milk	Undercounter Cooler	39.00 Fahrenheit	
Chlorine - Sanitizer	Dishwasher	50.00 PPM	
Water	Hand Sink	120.00 Fahrenheit	

Overall Comments:


Notes:

- Coffee beans are sourced from US Coffee.
- Pastries and bread are sourced from their bakery in Gilroy at 7435 Monterey Rd.
- No access to basement. Per PIC, they do not use the basement for operations of the facility.
- Plan check final for installation of new equipment was not scheduled. Schedule and remit any fees within 48 hours.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **1/23/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Holbert Figueroa
Cook

Signed On: January 09, 2025