

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0269434 - PHILZ COFFEE		Site Address 101 FOREST AV 110, PALO ALTO, CA 94301		Inspection Date 09/03/2026		Placard Color & Score GREEN 94		
Program PR0400843 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09			Owner Name JABER, FASIL		Inspection Time 10:15 - 11:45			
Inspected By TRAVIS KETCHU		Inspection Type ROUTINE INSPECTION		Consent By KATHERINE JACKSON				FSC Sheldon Tanaka 6/8/2031

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records	X						S
K09	Proper cooling methods						X	
K10	Proper cooking time & temperatures						X	
K11	Proper reheating procedures for hot holding						X	
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display					X		
K17	Compliance with Gulf Oyster Regulations					X		
K18	Compliance with variance/ROP/HACCP Plan							
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		X
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		X
K45	Floor, walls, ceilings: built, maintained, clean		X
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0269434 - PHILZ COFFEE	Site Address 101 FOREST AV 110, PALO ALTO, CA 94301	Inspection Date 09/03/2026
Program PR0400843 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	Owner Name JABER, FASIL	Inspection Time 10:15 - 11:45
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations: The water discharge pipe for the coffee machines at the preparation line extend into the floor sink.

[CA] All equipment that discharges liquid waste shall be drained by means of indirect waste pipes, and all wastes drained by them shall discharge through an airgap into a floor sink or other approved type of receptor.

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations: Facility does not have access to a janitorial sink within the shared area of the building.

[CA] Obtain access to the janitorial sink. At least one curbed cleaning facility or janitorial sink equipped with hot and cold water and drain shall be provided.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: Accumulation of coffee beans and residue on several areas of floor including storage area floors, between prep fridge, and underneath prep tables.

[CA] Walls and/or floors in food preparation area shall be kept clean.

A hole in the wall (old door way area) behind shelving in the dry storage room.

[CA] Repair holes in structure and maintain in good repair to prevent pest harborage.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
egg bites cooked	standing 2-door freezer	32.00 Fahrenheit	
hot water	bathroom handwash sink	100.00 Fahrenheit	
breakfast sandwich	lower 2-door fridge	37.00 Fahrenheit	
hot water	3-comp. warewash	120.00 Fahrenheit	
yogurt	display fridge	39.00 Fahrenheit	
quat sanitizer	3 comp sink	300.00 PPM	
quat sanitizer	bucket	200.00 PPM	
hot water	handwash sink	100.00 Fahrenheit	
creamer	lower 2 door fridge unit	33.00 Fahrenheit	
breakfast burrito	lower 2-door fridge	33.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **9/17/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0269434 - PHILZ COFFEE	Site Address 101 FOREST AV 110, PALO ALTO, CA 94301	Inspection Date 09/03/2026
Program PR0400843 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	Owner Name JABER, FASIL	Inspection Time 10:15 - 11:45

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: katherine jackson
PIC
Signed On: September 03, 2026