County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716 Phone (408) 918-3400 www.ehinfo.org

K47 Signs posted; last inspection report available



OFFICIAL INSPECTION REPORT												
Facility	A DAVEDY		te Address	SAN IOSE	CA 05118		Inspection 04/29/2			Placard C	olor & Sco	ore
FA0209711 - SAFEWAY #1574-BAKERY Program			4950 ALMADEN EX, SAN JOSE, CA 95118 Owner Name				Inspection Time		┨	GREEN		V
PR0306408 - FOOD PREP / F	R0306408 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10 SAFEWAY INC				14:30 - 15:15			Ш				
Inspected By JENNIFER RIOS	Inspection Type ROUTINE INSPECTION		Consent By ESPERANZA		FSC Michelle 12/02/20		ty		JL	1	00	
RISK FACTORS AND IN	NTERVENTIONS					IN	OUT Major M	Minor C	OS/SA	N/O	N/A	PBI
K01 Demonstration of knowle	edge; food safety certification					Χ						
K02 Communicable disease; reporting/restriction/exclusion						Х						
коз No discharge from eyes, nose, mouth						Χ						
K04 Proper eating, tasting, drinking, tobacco use						Χ						
	vashed; gloves used properly					Х						
K06 Adequate handwash fac						Х						
K07 Proper hot and cold hold	-					Х						
<u> </u>	control; procedures & records										X	
K09 Proper cooling methods										Χ		
K10 Proper cooking time & to							$\sqcup \bot$	\perp		Х		
K11 Proper reheating proced										Х		
K12 Returned and reservice										Χ		
K13 Food in good condition,						Х						
K14 Food contact surfaces of	<u> </u>					X						
K15 Food obtained from app						Х						
K16 Compliance with shell s											X	
K17 Compliance with Gulf O	-										X	
K18 Compliance with variance											X	
K19 Consumer advisory for r			- i cc								X	
K21 Hot and cold water avail	cilities/schools: prohibited foods	not b	eing oliered			V					Χ	
						X						
K22 Sewage and wastewate K23 No rodents, insects, bird						X						
GOOD RETAIL PRACT						^					OUT	COS
											001	CU3
K24 Person in charge preser												
K25 Proper personal cleanliness and hair restraints												
K26 Approved thawing methods used; frozen food												
K27 Food separated and protected K28 Fruits and vegetables washed												
K29 Toxic substances proper												
K30 Food storage: food stora	•											
K31 Consumer self service d												
K32 Food properly labeled a	<u>'</u>											
K33 Nonfood contact surface												
K34 Warewash facilities: inst	alled/maintained; test strips											
K35 Equipment, utensils: Approved, in good repair, adequate capacity												
K36 Equipment, utensils, linens: Proper storage and use												
K37 Vending machines												
K38 Adequate ventilation/lighting; designated areas, use												
K39 Thermometers provided, accurate												
K40 Wiping cloths: properly used, stored												
K41 Plumbing approved, installed, in good repair; proper backflow devices												
K42 Garbage & refuse properly disposed; facilities maintained												
Toilet facilities: properly constructed, supplied, cleaned												
Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing												
K45 Floor, walls, ceilings: bu												
K46 No unapproved private h	home/living/sleeping quarters											

Page 1 of 2

R202 DA6PFZ8ZL Ver. 2.39.7

OFFICIAL INSPECTION REPORT

,	Site Address 4950 ALMADEN EX, SAN JOSE, CA 95118			Inspection Date 04/29/2025		
Program PR0306408 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 -		Owner Name SAFEWAY INC	Inspection Time 14:30 - 15:15			
K48 Plan review						
K49 Permits available						
K58 Placard properly displayed/posted						

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

No minor violations were observed during this inspection.

Performance-Based Inspection Questions

N/A

Measured Observations

<u>Item</u>	<u>Location</u>	Measurement	Comments
Cake	Display case	39.00 Fahrenheit	
Warm water	Handwash sink	100.00 Fahrenheit	
Cake	Walk in fridge	40.00 Fahrenheit	
Quaternary ammonia	Three compartment sink	200.00 PPM	
Hot water	Three compartment sink	120.00 Fahrenheit	
Cheesecake	Display refrigerator	39.00 Fahrenheit	
Warm water	Restroom handwash	100.00 Fahrenheit	

Page 2 of 2

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than 5/13/2025. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

 [CA]
 Corrective Action

 [COS]
 Corrected on Site

 [N]
 Needs Improvement

 [NA]
 Not Applicable

 [NO]
 Not Observed

[PBI] Performance-based Inspection

[PHF] Potentially Hazardous Food[PIC] Person in Charge

[PPM] Part per Million[S] Satisfactory[SA] Suitable Alternative

[TPHC] Time as a Public Health Control

Received By: Esperanza Martinez

Assistant store director

Signed On: April 29, 2025

R202 DA6PFZ8ZL Ver. 2.39.7