

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

| | | | | | |
|--|---|--|--------------------------------------|-------------------------------|----------------------------------|
| Facility FA0202874 - COLOSSEUM NEW YORK PIZZA | | Site Address 761 E CAPITOL AV, MILPITAS, CA 95035 | | Inspection Date 08/29/2025 | |
| Program PR0300232 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10 | | | Owner Name COLOSSEUM NEW YORK PIZ | | Inspection Time 12:45 - 13:45 |
| Inspected By MAMAYE KEBEDE | Inspection Type RISK FACTOR INSPECTION | | Consent By PRIYA THOTA | FSC Not Available | |

Placard Color & Score

YELLOW

N/A

| RISK FACTORS AND INTERVENTIONS | IN | OUT | | COS/SA | N/O | N/A | PBI |
|---|----|-------|-------|--------|-----|-----|-----|
| | | Major | Minor | | | | |
| K01 Demonstration of knowledge; food safety certification | | | X | | | | |
| K02 Communicable disease; reporting/restriction/exclusion | X | | | | | | N |
| K03 No discharge from eyes, nose, mouth | X | | | | | | |
| K04 Proper eating, tasting, drinking, tobacco use | X | | | | | | |
| K05 Hands clean, properly washed; gloves used properly | X | | | | | | |
| K06 Adequate handwash facilities supplied, accessible | | X | | X | | | |
| K07 Proper hot and cold holding temperatures | X | | | | | | N |
| K08 Time as a public health control; procedures & records | | | | | X | | |
| K09 Proper cooling methods | | | | | X | | |
| K10 Proper cooking time & temperatures | X | | | | | | |
| K11 Proper reheating procedures for hot holding | | | | | X | | |
| K12 Returned and reservice of food | | | | | X | | |
| K13 Food in good condition, safe, unadulterated | X | | | | | | |
| K14 Food contact surfaces clean, sanitized | | X | | X | | | N |
| K15 Food obtained from approved source | X | | | | | | |
| K16 Compliance with shell stock tags, condition, display | | | | | | X | |
| K17 Compliance with Gulf Oyster Regulations | | | | | | X | |
| K18 Compliance with variance/ROP/HACCP Plan | | | | | | X | |
| K19 Consumer advisory for raw or undercooked foods | | | | | | X | |
| K20 Licensed health care facilities/schools: prohibited foods not being offered | | | | | | X | |
| K21 Hot and cold water available | X | | | | | | |
| K22 Sewage and wastewater properly disposed | X | | | | | | |
| K23 No rodents, insects, birds, or animals | X | | | | | | |

| GOOD RETAIL PRACTICES | OUT | COS |
|---|-----|-----|
| K24 Person in charge present and performing duties | | |
| K25 Proper personal cleanliness and hair restraints | | |
| K26 Approved thawing methods used; frozen food | | |
| K27 Food separated and protected | | |
| K28 Fruits and vegetables washed | | |
| K29 Toxic substances properly identified, stored, used | | |
| K30 Food storage: food storage containers identified | | |
| K31 Consumer self service does prevent contamination | | |
| K32 Food properly labeled and honestly presented | | |
| K33 Nonfood contact surfaces clean | | |
| K34 Warewash facilities: installed/maintained; test strips | | |
| K35 Equipment, utensils: Approved, in good repair, adequate capacity | | |
| K36 Equipment, utensils, linens: Proper storage and use | | |
| K37 Vending machines | | |
| K38 Adequate ventilation/lighting; designated areas, use | | |
| K39 Thermometers provided, accurate | | |
| K40 Wiping cloths: properly used, stored | | |
| K41 Plumbing approved, installed, in good repair; proper backflow devices | | |
| K42 Garbage & refuse properly disposed; facilities maintained | | |
| K43 Toilet facilities: properly constructed, supplied, cleaned | | |
| K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing | | |
| K45 Floor, walls, ceilings: built, maintained, clean | | |
| K46 No unapproved private home/living/sleeping quarters | | |
| K47 Signs posted; last inspection report available | | |

OFFICIAL INSPECTION REPORT

| | | |
|---|---|---|
| Facility FA0202874 - COLOSSEUM NEW YORK PIZZA | Site Address 761 E CAPITOL AV, MILPITAS, CA 95035 | Inspection Date 08/29/2025 |
| Program PR0300232 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10 | Owner Name COLOSSEUM NEW YORK PIZZA LLC | Inspection Time 12:45 - 13:45 |
| K48 Plan review | | |
| K49 Permits available | | |
| K58 Placard properly displayed/posted | | |

Comments and Observations

Major Violations

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: *There was no soap on the three compartment warewash sink which also is being used for handwashing in the kitchen area. There was no paper towel supply on the handwash station located in the restroom.*

Follow-up By
08/29/2025

[CA] *Provide the missing supplies immediately. The PIC refilled the soap and paper towel dispenser(COS).*

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations: *Employees were observed washing dishes in the three compartment warewash sink without any sanitizer.*

Follow-up By
08/29/2025

[CA] *Whenever utensils, equipment, and food contact surfaces are cleaned, they need to be washed with soapy water, rinse with clean water, and sanitized with 200 ppm quaternary ammonia sanitizer or 100 ppm chlorine. The manager demonstrated the proper washing procedures. The dishwasher was demonstrated on the proper method of dishwashing. The utensils were rewashed accordingly (COS).*

Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

Inspector Observations: *There is not a food safety manager certified person in the facility.*

[CA] *Someone from the facility must take a food safety certificate class within two months and keep a copy of the certificate on file.*

Food Safety Manager certificate class may be taken on the following websites:

1. Premier Food Safety:
<https://www.premierfoodsafety.com/food-manager-certification/california>
2. Learn 2 Serve:
<https://www.360training.com/learn2serve/food-safety-manager/California>
3. Serve Safe Manager:
<https://www.servsafe.com/ServSafe-Manager>

A couple of the employees do not have food handler cards.

[CA] *Employee engaged in food preparation, storage, and service and who do not have food safety certificate must take food handler cards within a month of hire.*

California approved Food Handler Card (FHC) class providers

All Directory Listing

(a<https://anabpd.ansi.org/Accreditation/credentialing/certificate-issuers/AllDirectoryListing?prgID=228,238&statu sID=4nsi.org>**)**

Performance-Based Inspection Questions

- Needs Improvement - Food contact surfaces clean, sanitized.
- Needs Improvement - Communicable disease; reporting/restriction/exclusion.
- Needs Improvement - Proper hot and cold holding temperatures.

OFFICIAL INSPECTION REPORT

| | | |
|---|---|---|
| Facility FA0202874 - COLOSSEUM NEW YORK PIZZA | Site Address 761 E CAPITOL AV, MILPITAS, CA 95035 | Inspection Date 08/29/2025 |
| Program PR0300232 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10 | Owner Name COLOSSEUM NEW YORK PIZZA LLC | Inspection Time 12:45 - 13:45 |

Measured Observations

| <u>Item</u> | <u>Location</u> | <u>Measurement</u> | <u>Comments</u> |
|----------------|---------------------------------|--------------------|-----------------|
| Cheese | Preparation fridge | 40.00 Fahrenheit | |
| Marinara sauce | Steam table | 148.00 Fahrenheit | |
| Hot water | Three compartment sink | 125.00 Fahrenheit | |
| Pizza | Final cook | 165.00 Fahrenheit | |
| Chlorine | Three compartment warewash sink | 100.00 PPM | |
| Sausage | Upright fridge | 35.00 Fahrenheit | |
| Pepperoni | Preparation fridge | 39.00 Fahrenheit | |
| Meatballs | Steam table | 150.00 Fahrenheit | |
| Cheese | Upright fridge | 39.00 Fahrenheit | |

Overall Comments:

Note: 1. During the time of this inspection, I learned that the facility has new owner who purchased the pizza place in May 2025 along with the LLC that used to own the business.

2. The new owner is issued a 48 - Hours notice to submit a change of ownership application(C00) form at our office. A menu must be attached to the COO packet, and the owner shall be charged \$446.00 facility assessment fee.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **9/12/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

| | |
|---------------|---------------------------------|
| [CA] | Corrective Action |
| [COS] | Corrected on Site |
| [N] | Needs Improvement |
| [NA] | Not Applicable |
| [NO] | Not Observed |
| [PBI] | Performance-based Inspection |
| [PHF] | Potentially Hazardous Food |
| [PIC] | Person in Charge |
| [PPM] | Part per Million |
| [S] | Satisfactory |
| [SA] | Suitable Alternative |
| [TPHC] | Time as a Public Health Control |



Received By: Priya Thota
Employee

Signed On: August 29, 2025