

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0206273 - FAST MART, INC		Site Address 1484 S WHITE RD, SAN JOSE, CA 95127		Inspection Date 05/01/2025		Placard Color & Score GREEN 90		
Program PR0301356 - NO FOOD PREP <5,000 SQ FT - FP06			Owner Name FAST MART, INC		Inspection Time 14:25 - 15:15			
Inspected By MAMAYE KEBEDE		Inspection Type ROUTINE INSPECTION		Consent By PRINCE KRISHAN LAL				FSC

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods						X	
K10	Proper cooking time & temperatures						X	
K11	Proper reheating procedures for hot holding						X	
K12	Returned and reservice of food						X	
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized					X		
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		X
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		X
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		X
K45	Floor, walls, ceilings: built, maintained, clean		X
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0206273 - FAST MART, INC		Site Address 1484 S WHITE RD, SAN JOSE, CA 95127	Inspection Date 05/01/2025
Program PR0301356 - NO FOOD PREP <5,000 SQ FT - FP06		Owner Name FAST MART, INC	Inspection Time 14:25 - 15:15
K48	Plan review		
K49	Permits available		X
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: The open fridge was installed without plan submission and approval by our plan check service.

[CA] Please submit plan and specification of the upright open fridge to our office within 48 hours.

K42 - 2 Points - Garbage and refuse improperly disposed; 114244, 114245, 114245.1, 114245.2, 114245.3, 114245.4, 114245.5, 114245.6, 114245.7, 114245.8

Inspector Observations: There was no toilet paper supply in the restroom.

[CA] Refill the toilet paper dispenser immediately.

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations: Utility sink installed lacks faucets for hot and cold water. Sink is connected to drain of the adjacent two-compartment sink.

Utility sink was installed without prior approval from plan check as stated on current permit condition. No plans have been submitted for the installation of sink.

[CA] At least one curbed cleaning facility or janitorial sink equipped with hot and cold water and drain shall be provided.

Avantico open-faced refrigeration unit present in facility, currently inoperable. Requestor stated that he is unsure whether to remove or keep refrigerator.

Equipment was added without prior approval from plan check as stated on currently permit conditions.

[CA] The premises of a food facility shall be free of litter and items that are unnecessary to the operation or maintenance of the facility, such as equipment that is nonfunctional or no longer used.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: Restroom floor tiles lack coved base. [CA] The juncture of the floor and wall shall be coved with a 3/8-inch minimum radius coving and shall extend up the wall at least 4 inches.

Walls behind utility sink and two-compartment sink are textured dry wall. [CA] Walls shall be durable, smooth, nonabsorbent, and easily cleanable.

K49 - 2 Points - Permits not available; 114067(b,c), 114381(a), 114387

OFFICIAL INSPECTION REPORT

Facility FA0206273 - FAST MART, INC	Site Address 1484 S WHITE RD, SAN JOSE, CA 95127	Inspection Date 05/01/2025
Program PR0301356 - NO FOOD PREP <5,000 SQ FT - FP06	Owner Name FAST MART, INC	Inspection Time 14:25 - 15:15

Inspector Observations: 48 HOUR NOTICE--

Our records indicate this facility has a delinquent account and is operating without a valid Santa Clara County Department of Environmental Health permit. The facility has an outstanding account balance in the amount of \$971.25

Payment must be made within 48 hours (2 business days) to the Santa Clara County DEH online at our website which is <https://paydirect.link2gov.com/SantaClaraCountyDEH/ItemSearch> using an account ID number AR1337354 You may also drop a business check or a crasher's check at our office address written on the top right corner.

A re-inspection will not be conducted if your account is paid in full by 5/5/25. The facility shall remain open, and a new valid permit will be mailed after payment has been received.

If your account has not been paid in full by the Comply By date, a re-inspection will be performed, and the facility owner may be billed at the current hourly rate per County Ordinance Code B 11-8. Non-payment of permit fees within 48 hours will result in additional legal actions up to and including facility closure.

Performance-Based Inspection Questions

N/A

Measured Observations

Item	Location	Measurement	Comments
Shell eggs	Reach-in fridge	41.00 Fahrenheit	IR
Milk	Reach-in fridge	40.00 Fahrenheit	IR
Hot water	Restroom's handwash sink	120.00 Fahrenheit	
Ice cream	Ice cream freezer	0.00 Fahrenheit	IR

Overall Comments:


Note: All the above violations are repeated violations. Please correct the violations on the specified time frame. Failure to take corrective action within the specified time frame will result in further enforcement measures, which may include:

- Issuance of fines or penalties as authorized by city, county, and state regulations.
- Suspension or revocation of operating permits.
- Additional legal action as deemed necessary to protect public health and safety.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **5/15/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control


Received By: JITENDER GREWAL
Owner
Signed On: May 01, 2025