

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0276746 - ANJAPPAR CHETTINAD INDIAN RESTAURANT		Site Address 777 LAWRENCE EX 8, SANTA CLARA, CA 95051		Inspection Date 12/11/2025	
Program PR0418137 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14			Owner Name HERITAGE FOODS LLC		Inspection Time 14:30 - 16:00
Inspected By FARHAD AMIR-EBRAHIMI	Inspection Type ROUTINE INSPECTION	Consent By HARISH THEEPIREEDY	FSC Not Available 01/18/2026		

Placard Color & Score
GREEN
78

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification			X				
K02 Communicable disease; reporting/restriction/exclusion	X						S
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						S
K06 Adequate handwash facilities supplied, accessible		X		X			S
K07 Proper hot and cold holding temperatures			X				
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods	X						
K10 Proper cooking time & temperatures					X		
K11 Proper reheating procedures for hot holding					X		
K12 Returned and reservice of food					X		
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips	X	
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		X
K39 Thermometers provided, accurate		X
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		X
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0276746 - ANJAPPAR CHETTINAD INDIAN RESTAURANT	Site Address 777 LAWRENCE EX 8, SANTA CLARA, CA 95051	Inspection Date 12/11/2025
Program PR0418137 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name HERITAGE FOODS LLC	Inspection Time 14:30 - 16:00
K48 Plan review		
K49 Permits available		
K58 Placard properly displayed/posted		

Comments and Observations

Major Violations

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: Cook line soap dispenser is empty [CA] Keep all dispensers supplied - Corrected

Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

Inspector Observations: Most employees do not have a food handler card [CA] All food workers must obtain food handler cards by 01/12/26

K07 - 3 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: The right cooler is at 48F and the left cooler at 46F [CA] Monitor and maintain both coolers at 41F or colder.

You are scheduled for an inspection on 12/17/25 to check the line coolers temperature. You also need to provide a probe thermometer and chlorine test strip. There is no charge for this follow-up inspection. However, failure to comply will result in a second re-inspection charged at \$298 and for all related follow-up inspections thereafter.

Follow-up By
12/17/2025

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations: Lack chlorine test paper [CA] Provide chlorine test paper and check levels daily

Follow-up By
12/17/2025

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

Inspector Observations: Hood shows grease buildup [CA] Clean the hood

K39 - 2 Points - Thermometers missing or inaccurate; 114157, 114159

Inspector Observations: Lack a probe thermometer [CA] Provide a probe thermometer and check food temperatures daily

Follow-up By
12/17/2025

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: Dry storage floor shows buildup [CA] Clean the floor

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Meat dish	Right line cooler	48.00 Fahrenheit	
Mixed veggies	Steam table	159.00 Fahrenheit	
Rice	Warmer	157.00 Fahrenheit	
Milk	Walk-in cooler	40.00 Fahrenheit	
Meat dish	Steam table	148.00 Fahrenheit	
Mixed veggies	Freezer	6.00 Fahrenheit	
Water	3-comp sink	132.00 Fahrenheit	
Chlorine	Dishwasher	50.00 PPM	
Mixed veggies	Left line cooler	46.00 Fahrenheit	

Overall Comments:

OFFICIAL INSPECTION REPORT

Facility FA0276746 - ANJAPPAR CHETTINAD INDIAN RESTAURANT	Site Address 777 LAWRENCE EX 8, SANTA CLARA, CA 95051	Inspection Date 12/11/2025
Program PR0418137 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name HERITAGE FOODS LLC	Inspection Time 14:30 - 16:00

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **12/25/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Harish Theepireedy

Signed On: December 11, 2025