

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0276624 - SAN JOSE EARTHQUAKES STADIUM - AREA 6		Site Address 1123 COLEMAN AV, SAN JOSE, CA 95110		Inspection Date 08/17/2025		Placard Color & Score GREEN 88		
Program PR0417926 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			Owner Name OVG Hospitality		Inspection Time 18:10 - 18:30			
Inspected By MAMAYE KEBEDE		Inspection Type ROUTINE INSPECTION		Consent By LOU ATCHICK				FSC Lorena Murillo 5/7/2028

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures	X						S
K08	Time as a public health control; procedures & records					X		
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized		X		X			S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		X
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		X
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0276624 - SAN JOSE EARTHQUAKES STADIUM - AREA 6	Site Address 1123 COLEMAN AV, SAN JOSE, CA 95110	Inspection Date 08/17/2025
Program PR0417926 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name OVG Hospitality	Inspection Time 18:10 - 18:30
K48 Plan review		
K49 Permits available		
K58 Placard properly displayed/posted		

Comments and Observations

Major Violations

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations: Employees were observed washing dishes in the three compartment warewash sink without any sanitizer.

[CA] Whenever utensils, equipment, and food contact surfaces are cleaned, they need to be washed with soapy water, rinse with clean water, and sanitized with 200 ppm quaternary ammonia sanitizer or 100 ppm chlorine. The manager demonstrated the proper washing procedures. The dishwasher was demonstrated on the proper method of dishwashing. The utensils were rewashed accordingly (COS).

Follow-up By
08/17/2025

Minor Violations

K40 - 2 Points - Wiping cloths: improperly used and stored; 114135, 114185.1 114185.3(d,e)

Inspector Observations: A couple of wet/soiled wiping cloths were stored on the counters.

[CA] Wet/soiled wiping cloths must be stored in a bucket that has standard sanitizer concentration in between use which is 200 ppm quaternary ammonia or 100 ppm chlorine (bleach).

There was very low sanitizer concentration on one of the sanitizer buckets.

[CA] Maintain the sanitizer concentration on the sanitizer buckets at 200 ppm quaternary ammonia. 100 ppm chlorine (bleach), 272 ppm -700 ppm lactic acid levels.

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations: There is no wet mop hanger by the janitorial sinks.

[CA] Install a wet mop hanger by the janitorial sink. All wet mops must be hung on the wet mop hanger.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Quaternary ammonia	Three compartment sink	0.00 Fahrenheit	Was adjusted to 200 ppm quaternary ammonia
Beef	Final cook	140.00 Fahrenheit	
Chicken	Grilled	165.00 Fahrenheit	
Pizza	Final cook	175.00 Fahrenheit	
Chicken	Walk-in cooler	35.00 Fahrenheit	
Hot water	Three compartment sink	125.00 Fahrenheit	
Pizza	Hot holding unit	145.00 Fahrenheit	Q

Overall Comments:

- Note: 1. This is the main kitchen used to conduct food preparation for all the satellite kitchens and the club houses.**
2. Food safety manager certificate: Lorena Murillo - 5/7/2028

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **8/31/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0276624 - SAN JOSE EARTHQUAKES STADIUM - AREA 6	Site Address 1123 COLEMAN AV, SAN JOSE, CA 95110	Inspection Date 08/17/2025
Program PR0417926 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name OVG Hospitality	Inspection Time 18:10 - 18:30

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Lou Atchick
Manager
Signed On: August 17, 2025